



Journal of
the American
Association of
Clinical Chemists

clinical chemistry

JANUARY

- 1 **Editorial.** M. M. Friedman and J. S. King, Jr.
- 3 **Chemical Basis of the Carbamidodiacetyl Micromethod for Estimation of Urea, Citrulline, and Carbamyl Derivatives.** M. P. Veniamin and Catherine Vakirtzi-Lemonias
- 7 **Blood Volume Changes during Three-Week Residence at High Altitude.** L. G. Myhre, D. B. Dill, F. G. Hall, and D. K. Brown
- 15 **Between-Bottle Variation as Source of Error in Quality-Control Sera.** G. R. A. Padmore and J. A. Gatt
- 18 **Micromethod for Total Serum Cholesterol that Eliminates Interference by High Bilirubin Concentrations.** W. J. Jordan, Jr. and E. C. Knoblock
- 20 **Silicic Acid Chromatography of Organic Acids in Blood Cells and Biological Fluids.** L. A. Barnes, Grant Morrow III, R. E. Nocho, and R. A. Maresca
- 24 **Quantification of Protein Solutions with Trinitrobenzenesulfonic Acid.** J. F. Goodwin and S-Y Choi
- 32 **New Chromogenic Substrate for Determination of Serum Amylase Activity.** Bernard Klein, J. A. Foreman, and R. L. Searcy
- 39 **New Amylase Substrate and Assay Procedure.** A. L. Babson, S. A. Tenney, and R. E. Megraw
- 44 **Evaluation of Serum Argininosuccinate Lyase (ASAL) Concentrations as an Index to Parenchymal Liver Disease.** R. Z. Campanini, R. A. Tapia, William Sarnat, and Samuel Natelson
- 54 **Amino Acid Composition of Serum Albumin in Normal Individuals and in Patients with Rheumatoid Arthritis.** C. W. Denko, D. B. Purser, and R. M. Johnson

Scientific Notes

- 58 **Thin-Layer Chromatography of Urinary Imidazoles.** R. Humbel
- 60 **Rapid Method for Homogenizing Tissue Samples for Liquid Scintillation Counting.** L. D. Adams, L. L. Curry, and M. J. Bartek
- 61 **Information for Authors**

Letters

- 65 **Aid to Phasing the SMA 12/30.** Arthur Brodie and Albert Hanok
 - 65 **Dialyzable Inhibitor of Ferroxidase Activity of Ceruloplasmin in Commercial Preparations of Apotransferrin.** D. A. Johnson, S. Osaki, and E. Frieden
 - 66 **The Clinical Chemist.** D. A. H. Roethel
- FEBRUARY**
- 71 **Guest Editorial: Turnover of Circulating Enzymes.** Solomon Posen
 - 85 **Method for Simultaneous Direct Estimation of Glucose and Xylose in Serum.** J. F. Goodwin

- 92 **Simplified Determination of Serum Iron and Total Iron-Binding Capacity.** J. A. O'Malley, Anne Hassan, Judith Shiley, and Henry Traynor
- 97 **Simplified Procedure for Determination of Estrogen in Pregnancy Urine.** G. F. Grannis and R. P. Dickey
- 103 **Direct Potentiometric Measurement of Potassium in Blood Serum with Liquid Ion-Exchange Electrode.** W. M. Wise, M. J. Kurey, and G. Baum
- 107 **Simultaneous Measurement of Diphenylhydantoin and Primidone in Serum by Gas-Liquid Chromatography.** M. A. Evenson, P. Jones, and B. Darcey
- 111 **Quantitation of Plasma Testosterone by Improved Competitive Protein-Binding Technique.** J. A. Demetriou and F. G. Austin
- 118 **Correlation between Triglycerides and Glutamic-Pyruvic Transaminase in Men on High-Fat Diets.** B. J. Katchman and R. E. Zipf
- 124 **Calculation of Normal Ranges by Methods Used for Resolution of Overlapping Gaussian Distributions.** E. M. Gindler
- 129 **Use of Patient Data for Quality Control of Clinical Laboratory Tests.** A. H. Reed
- 135 **Concurrent Assay of Phenobarbital and Diphenylhydantoin in Plasma by Vapor-Phase Chromatography.** J. C. Van Meter, H. S. Buckmaster, and L. L. Shelley
- 139 **Measurement of Serum Lithium by Atomic Absorption Spectroscopy.** John Pybus and G. N. Bowers, Jr.
- 144 **Method of Rapid Infrared Microdetermination of Serum Carbonate.** J. I. Peterson

Scientific Notes

- 147 **A Serum Reference Standard for Automated Total Protein and Albumin Procedures.** J. W. Keyser and M. Cawson
- 148 **Adaptation of Zak-Epstein Automated Micromethod for Serum Iron to Determine Iron-Binding Capacity and Urinary Iron.** J. P. Kunes and L. L. Small
- 151 **The Clinical Chemist.** D. A. H. Roethel
- 154 **Book Review.** J. S. King, Jr.

MARCH

- 155 **Measurement of Polarographically Active Sulfur in Human Serum Fractions Obtained by Paper Electrophoresis.** Jiri Homolka
- 158 **Three Hydrolysis Methods for 17-Ketosteroid Sulfates Compared by Colorimetric and Gas-Liquid Chromatographic Analyses.** C. A. Muehlbaeher and E. K. Smith
- 161 **Development of Normal Values for Use in Multitest Biochemical Screening of Sera.** R. T. O'Kell and J. R. Elliott
- 166 **Improved Accuracy in Automated Fluorometric Determination of Plasma Triglycerides.** R. P. Noble and F. M. Campbell



Journal of
the American
Association of
Clinical Chemists

clinical chemistry

JANUARY

- 1 **Editorial.** M. M. Friedman and J. S. King, Jr.
- 3 **Chemical Basis of the Carbamidodiacyl Micromethod for Estimation of Urea, Citrulline, and Carbamyl Derivatives.** M. P. Veniamin and Catherine Vakirtzi-Lemonias
- 7 **Blood Volume Changes during Three-Week Residence at High Altitude.** L. G. Myhre, D. B. Dill, F. G. Hall, and D. K. Brown
- 15 **Between-Bottle Variation as Source of Error in Quality-Control Sera.** G. R. A. Padmore and J. A. Gatt
- 18 **Micromethod for Total Serum Cholesterol that Eliminates Interference by High Bilirubin Concentrations.** W. J. Jordan, Jr. and E. C. Knoblock
- 20 **Silicic Acid Chromatography of Organic Acids in Blood Cells and Biological Fluids.** L. A. Barnes, Grant Morrow III, R. E. Nocho, and R. A. Maresca
- 24 **Quantification of Protein Solutions with Trinitrobenzenesulfonic Acid.** J. F. Goodwin and S-Y Choi
- 32 **New Chromogenic Substrate for Determination of Serum Amylase Activity.** Bernard Klein, J. A. Foreman, and R. L. Searcy
- 39 **New Amylase Substrate and Assay Procedure.** A. L. Babson, S. A. Tenney, and R. E. Megraw
- 44 **Evaluation of Serum Argininosuccinate Lyase (ASAL) Concentrations as an Index to Parenchymal Liver Disease.** R. Z. Campanini, R. A. Tapia, William Sarnat, and Samuel Natelson
- 54 **Amino Acid Composition of Serum Albumin in Normal Individuals and in Patients with Rheumatoid Arthritis.** C. W. Denko, D. B. Purser, and R. M. Johnson

Scientific Notes

- 58 **Thin-Layer Chromatography of Urinary Imidazoles.** R. Humbel
- 60 **Rapid Method for Homogenizing Tissue Samples for Liquid Scintillation Counting.** L. D. Adams, L. L. Curry, and M. J. Bartek
- 61 **Information for Authors**

Letters

- 65 **Aid to Phasing the SMA 12/30.** Arthur Brodie and Albert Hanok
 - 65 **Dialyzable Inhibitor of Ferroxidase Activity of Ceruloplasmin in Commercial Preparations of Apotransferrin.** D. A. Johnson, S. Osaki, and E. Frieden
 - 66 **The Clinical Chemist.** D. A. H. Roethel
- FEBRUARY**
- 71 **Guest Editorial: Turnover of Circulating Enzymes.** Solomon Posen
 - 85 **Method for Simultaneous Direct Estimation of Glucose and Xylose in Serum.** J. F. Goodwin

- 92 **Simplified Determination of Serum Iron and Total Iron-Binding Capacity.** J. A. O'Malley, Anne Hassan, Judith Shiley, and Henry Traynor
- 97 **Simplified Procedure for Determination of Estrogen in Pregnancy Urine.** G. F. Grannis and R. P. Dickey
- 103 **Direct Potentiometric Measurement of Potassium in Blood Serum with Liquid Ion-Exchange Electrode.** W. M. Wise, M. J. Kurey, and G. Baum
- 107 **Simultaneous Measurement of Diphenylhydantoin and Primidone in Serum by Gas-Liquid Chromatography.** M. A. Evenson, P. Jones, and B. Darcey
- 111 **Quantitation of Plasma Testosterone by Improved Competitive Protein-Binding Technique.** J. A. Demetriou and F. G. Austin
- 118 **Correlation between Triglycerides and Glutamic-Pyruvic Transaminase in Men on High-Fat Diets.** B. J. Katchman and R. E. Zipf
- 124 **Calculation of Normal Ranges by Methods Used for Resolution of Overlapping Gaussian Distributions.** E. M. Gindler
- 129 **Use of Patient Data for Quality Control of Clinical Laboratory Tests.** A. H. Reed
- 135 **Concurrent Assay of Phenobarbital and Diphenylhydantoin in Plasma by Vapor-Phase Chromatography.** J. C. Van Meter, H. S. Buckmaster, and L. L. Shelley
- 139 **Measurement of Serum Lithium by Atomic Absorption Spectroscopy.** John Pybus and G. N. Bowers, Jr.
- 144 **Method of Rapid Infrared Microdetermination of Serum Carbonate.** J. I. Peterson

Scientific Notes

- 147 **A Serum Reference Standard for Automated Total Protein and Albumin Procedures.** J. W. Keyser and M. Cawson
- 148 **Adaptation of Zak-Epstein Automated Micromethod for Serum Iron to Determine Iron-Binding Capacity and Urinary Iron.** J. P. Kunes and L. L. Small
- 151 **The Clinical Chemist.** D. A. H. Roethel
- 154 **Book Review.** J. S. King, Jr.

MARCH

- 155 **Measurement of Polarographically Active Sulfur in Human Serum Fractions Obtained by Paper Electrophoresis.** Jiri Homolka
- 158 **Three Hydrolysis Methods for 17-Ketosteroid Sulfates Compared by Colorimetric and Gas-Liquid Chromatographic Analyses.** C. A. Muehlbaeher and E. K. Smith
- 161 **Development of Normal Values for Use in Multitest Biochemical Screening of Sera.** R. T. O'Kell and J. R. Elliott
- 166 **Improved Accuracy in Automated Fluorometric Determination of Plasma Triglycerides.** R. P. Noble and F. M. Campbell

- 171 **Apparatus for Collecting Fractions from Density Differential Interfaces and Its Use in Gravimetric Measurement of Total Myelin.** R. M. Hill and V. E. Bruzek
- 177 **Determination of Diazepam (Valium) Concentrations in Serum by Gas-Liquid Chromatography.** L. B. Foster and C. S. Frings
- 180 **Determination of Bilirubin in Amniotic Fluid. A New, Simple, and Efficient Method.** V. R. Mallikarjuneswara, C. A. B. Clemetson, and J. J. Carr
- 185 **Determination of Free Thyroxine in Serum by Low-Temperature Equilibrium Dialysis.** V. S. Fang and H. A. Selenkow
- 191 **Isolation and Quantification of Serum Uric Acid by Adsorption Chromatography.** P. A. Simkin
- 195 **Determination of Amphetamine, Methamphetamine, and Related Amines in Blood and Urines by Gas Chromatography with Hydrogen-Flame Ionization Detector.** Paul Lebish, B. S. Finkle, and J. W. Brackett, Jr.
- 201 **Fractionation of Human Urine by Gel Chromatography.** C. A. Burtis, Gerald Goldstein, and C. D. Scott
- 207 **Semiautomated Method for Serum Pepsinogen Determination.** Julius Wenger and Miranda Munro
- 212 **A Gas Chromatographic Procedure for Detection of Pathological Organic Aciduria.** K. B. Hammond and S. I. Goodman
- 215 **Interface Instrumentation between Computer and Spectrophotometer for Reaction Rate Measurements.** E. C. Toren, Jr., A. A. Eggert, A. E. Sherry, and G. P. Hicks
- 222 **Problem of the Unit of Reference in Expressing Biomedical Data.** A. J. Barak
- 226 **A Membrane Ultrafiltration Procedure for Determining Diffusible Calcium in Serum.** Genevieve Farese, Milton Mager, and W. F. Blatt
- 229 **Automated, Simultaneous Microdetermination of Calcium and Magnesium by Atomic Absorption.** Nathan Gochman and Harry Givcler
- 235 **Contribution of Estriol to Total Urinary Estrogens during Pregnancy.** R. Hobkirk, Y. Anuman-Rajadon, M. Nilsen, and P. R. Blahay
- 239 **Comparison of the Weber-Schalm Method with the Ducci-Watson Modification of the Malloy-Evelyn Method for Serum Bilirubin Determination.** W. V. Perrelli and C. J. Watson
- 247 **An Improved Reagent System for the Measurement of Serum Uric Acid.** D. H. Jung and A. C. Parekh
- 282 **Automated Determination of Glucose in Serum or Plasma by a Direct α -Toluidine Procedure.** C. S. Frings, C. R. Ratliff, and R. T. Dunn
- 285 **An Automated Micromethod for Determination of Serum Glucose, with an Improved α -Toluidine Reagent.** W. R. Moorehead and E. A. Sasse
- 291 **Free-Electrophoretic Behavior of Urea-Insulin Reaction Products.** Fritz Bischoff and A. K. Bakhtiar
- 294 **An Automated Method for Measuring Creatine Phosphokinase Activity in Serum.** R. K. Wright and R. L. Alexander, Jr.
- 300 **A New Saccharogenic Micromethod for Measurement of Amylase Activity in Biological Fluids.** Klaus Lorentz and Detlef Oltmanns
- 305 **A Quality-Control Program Based on the Use of Desk-Top Digital Computer.** E. L. Cohen, George Hermann III, and H. T. Sugiura
- 312 **Dopamine Transport in Human Blood.** George Bryson and Fritz Bischoff
- 318 **Simultaneous Spectrophotometric Determination of Glutathimide and Barbiturates.** D. W. Dain and T. D. Trainer
- 322 **A Fluorometric Determination of Trypsin-Like Amidase Activity and Activity of Trypsin Inhibitors in Serum.** Tetsuo Uete, Mineko Asahara, and Hiro Tsuchikura
- 331 **Conventional and Preparative Electrophoretic Separation of Some Urinary Porphyrins and Porphyrin Precursors.** J. Fischl, F. Eichhorn, A. Rutenberg, and Ch. Major
- 335 **A Method for Determining Nitrofurantoin in Urine in the Presence of Phenazopyridine Hydrochloride and Its Metabolites.** R. D. Hollifield and J. D. Conklin
- 339 **A Rapid Extraction and Quantification of Total Lipids and Lipid Fractions in Blood and Feces.** J. S. Amenta

Scientific Notes

Scientific Notes

- 251 **On-Line Dilutor for Use with Flame Photometers.** R. L. Habig and W. R. Williamson
- 253 **An Improved Method for Preparation of Feces for Bomb Calorimetry.** H. G. Lovelady and E. J. Stork
- 254 **Lactic Dehydrogenase Inhibitors in NAD.** A. L. Babson and E. G. Arndt
- 257 **The Clinical Chemist.** D. A. H. Roethel

APRIL

- 261 **Guest Editorial: What Will You Contribute to the New Medicine?** Edgar Lee, Jr.
- 264 **Usefulness of Serum Lipase, Esterase, and Amylase Estimation in the Diagnosis of Pancreatitis—a Comparison.** Harriet Song, N. W. Tietz, and M. C. Tan
- 269 **Use of Ion-Exchange Resin in Preparing Erythrocytes for Magnesium Determinations.** B. J. Hunt and J. F. Manery
- 274 **Oxidation of Urinary 17-Oxogenic Steroids with Sodium Metaperiodate.** M. H. Abernethy and M. G. Metcalf
- 277 **In Vitro Formation of Ammonia in Blood of Dog and Man.** Bo Prytz, C. E. Grossi, and L. M. Rousselot
- 280 **Protein-Free Filtrates Obtained by Membrane Ultrafiltration. Application to the Determination of Serum Constituents.** Genevieve Farese and Milton Mager

- 347 **Nomograms for Calculation of Urea Clearance.** E. M. Gindler
- 350 **Nomogram for Calculation of Concentration for Colorimetric Systems in which Absorbance Decreases Linearly as Concentration Increases.** E. M. Gindler
- 352 **A Cause of Apparently Abnormal Urinary 17-Hydroxy Corticosteroids Responses to Metyrapone in Normal Subjects.** William Jubiz, Jacqueline Frailey, and F. H. Tyler
- 355 **The Clinical Chemist.** D. A. H. Roethel
- 358 **Book Reviews.** J. S. King, Jr., W. M. Wise, L. Bianchi, and Fritz Bischoff

Letter

- 360 **A Simple Gutzeit Apparatus for Arsenic Determination.** A. B. Ederveen and T. de Boer

MAY

- 361 **Editorial Note**
- 362 **A Simple Method for Separating Serum Lipoproteins by Electrophoresis on Cellulose Acetate.** M. J. Fletcher and M. H. Styliou
- 366 **A Method for Determination of Cystine in Urine.** Peter Haux and Samuel Natelson
- 370 **Evaluation of a New Procedure for Measuring Serum Creatine Kinase Activity.** J. H. Wilkinson and B. Steciw
- 375 **Urinary Excretion of Folic Acid Activity in Man.** J. M. Cooperman, A. Pesci-Bourel, and A. L. Lubbey
- 382 **A Semiautomated Nonincineration Technique for Determining Serum Thyroxine.** Gerald Kessler and V. J. Pileggi
- 390 **A Semiautomated Method for Determining Amylase Activity in Serum and Urine.** J. A. Lott and J. E. Mercier
- 395 **A Specific Colorimetric 5'-Nucleotidase Assay Utilizing the Berthelot Reaction.** Alan Belfield, Graham Ellis, and D. M. Goldberg

- 402 **A Rapid Enzymatic Method for Estimating Ethanol in Body Fluids.** Donald Jones, L. P. Gerber, and William Drell
- 408 **Determination of Fecal Triglycerides and Fatty Acids of Medium Chain Length by Electrical Capacitance and by Petroleum Ether Extraction.** B. E. Hallaway and Rodney Sandberg
- 412 **A Fluorometric Method for Measuring Leucine Amino-peptidase Activity in Red Blood Cells, Serum, or Tissue.** Tetsuo Uete, Hiroko Tsuchikura, and Kiichi Ninomiya
- 416 **Cerebrospinal Fluid Proteins: Concentration by Membrane Ultrafiltration and Fractionation by Electrophoresis on Cellulose Acetate.** R. M. Windisch and M. M. Bracken
- 420 **A Simple Screening Method for Detecting Isovalerylglycine in Urine of Patients with Isovaleric Acidemia.** Toshiyuki Ando and W. L. Nyhan
- 423 **Evaluation of the Purity of Cholesterol Primary Standards.** J. H. Williams, M. Kuchmak, and R. F. Witter
- 427 **Rapid Glucose Oxidase-Peroxidase Ultramicro Method for Determination of Blood Glucose.** P. H. Lenz and A. J. Passannante
- 431 **Rapid Method for Determining Alkaline Phosphatase Activity in Serum with Thymolphthalein Monophosphate.** A. V. Roy

Scientific Notes

- 437 **Faster Extraction of Phenylbutazone from Blood and Plasma.** H. M. Stevens
- 439 **Total Estrogen Excretion Per Day Estimated from a 12-Hour Sample.** N. S. Stenhouse and R. Hahnel
- 440 **Nomogram for Calculation of Creatinine Clearance.** E. M. Gindler
- 443 **Adaptation of a Small Spectrophotometer to Automated Analysis.** A. F. Krieg and B. A. Hutchinson
- 447 **The Clinical Chemist (including the program for the 22nd National Meeting).** D. A. H. Roethel

JUNE

- 459 **Preparation of ^{14}C -Labeled Series I and III Porphyrins.** Pentti Koskela and Ilkka Toivonen
- 462 **A New "Bilirubinometer" and Its Use in Estimating Total and Conjugated Bilirubin in Serum.** S. H. Jackson and A. H. Hernandez
- 466 **Disappearance of Glutathione from Serum or Hemoglobin Solutions.** M. D. Sass
- 472 **A Fluorometric Ferric Chloride Method for Determining Cholesterol in Cerebrospinal Fluid and Serum.** E. B. Solow and L. W. Freeman
- 477 **Atomic Absorption Spectrometry of Nickel in Serum, Urine, and Other Biological Materials.** Shozo Nomoto and F. W. Sunderman, Jr.
- 486 **Plasma Fibrinogen: Determination, Normal Values, Physiopathologic Shifts, and Fluctuations.** G. F. Grannis
- 495 **Application of Fe^{+2} -5-Pyridylbenzodiazepin-2-Ones to Automated Determinations of Serum Iron and Iron-Binding Capacity.** Bernard Klein, Norman Kleinman, and R. L. Searcy
- 500 **Dilemmas in Quality Control of Enzyme Determinations.** D. W. Moss
- 503 **Detection of Atypical Cholinesterase by an Automated pH Stat Method. Report of a Family with Both Atypical and Silent Gene Alleles.** T. M. Ashby, J. E. Suggs, and D. L. Jue
- 507 **Phenotyping of Hyperlipoproteinemias. Effect on Electrophoretic Pattern of Serum Storage at Ambient, Refrigerator, or Freezing Temperatures.** James Winkelman, D. R. Wybenga, and F. A. Ibbott

Scientific Note

- 512 **Reaction of Sodium Aminohippurate with Folin's Reagent.** W. J. Rahill, A. C. Wilson, and M. Stubbins

National Meeting

513 Symposia Lecturers and Abstracts

519 Abstracts of Meeting Papers

542 The Clinical Chemist. D. A. H. Roethel

Letter

- 546 **Presence of Calcium Contamination in Vacuum Tubes for Blood Collection.** L. B. Foster, C. S. Frings, R. T. Dunn, G. N. Bowers, Jr., John Pybus, and Basil Doumas

- 546 **Book Reviews.** J. S. King, Jr.

JULY

- 547 **Review: Determination of Oxalic Acid in Biological Material.** A. Hodgkinson
- 558 **Automation of Quantitative Immunochemical Microanalysis of Human Serum Transferrin: a Model System.** Irving Eckman, J. B. Robbins, C. J. A. Van den Hamer, John Lentz, and I. H. Scheinberg
- 562 **Normal Concentrations of Lactate, Glucose, and Protein in Cerebrospinal Fluid, and the Diagnostic Implications of Abnormal Concentrations.** J. D. Pryce, P. W. Gant, and K. J. Saul
- 566 **A Computer-Assisted Electrode System for Measuring Blood pH, pO_2 , pO_2 , pCO_2 , Sodium, and Potassium.** G. W. Neff, W. A. Radke, C. J. Sambucetti, and G. M. Widdowson
- 573 **Phenotyping of Lipemias by Ultrafiltration and Nephelometry of Serum Lipoproteins.** Mario Werner, C. K. Montgomery, A. L. Jones, and Siegfried Nussenbaum
- 579 **An Automated Fluorometric Method for Determination of Malate Dehydrogenase Activity in Serum.** P. L. Schwartz and H. J. Burns, Jr.
- 587 **Emergency Gas-Liquid Chromatographic Determination of Barbiturates and Glutethimide in Serum.** H. E. Sine, M. J. McKenna, T. A. Rejent, and M. H. Murray
- 594 **Correlation of Laboratory Tests and Clinical Evaluation of Phenotyping of Lipoproteinemias.** James Winkelman, D. R. Wybenga, and F. A. Ibbott
- 597 **A Collaborative Study of the Serum Calcium Determination by Atomic Absorption Spectroscopy.** Leonard Sideman, J. J. Murphy, Jr., and D. T. Wilson

- 602 **Atomic Absorption Spectrophotometry of Rubidium in Biological Fluids.** E. Sutter, S. R. Platman, and R. R. Fieve

- 606 **Peak Characteristics and Computers in Continuous-Flow Analysis.** M. A. Evenson, G. P. Hicks, and R. E. Thiers

Scientific Notes

- 612 **The Preservation of Urine Specimens for δ -Aminolevulinic Acid Determination.** W. F. Vincent and B. W. Ullman
- 615 **The Clinical Chemist.** D. A. H. Roethel

Letters

- 618 **Effect of Dextran on o-Toluidine Methods for Glucose.** C. S. Frings
- 618 **Preparation of a Stable Native Control Urine.** H. Wachter and G. Sallaberger
- 618 **Revision in Flame Photometric Li Determination.** Leonard Sideman
- 619 **Variations in Sampling Cam Specifications for Continuous-Flow Automated Systems.** H. S. Friedman
- 620 **Disc Electrophoresis of Lipoproteins: a Reinterpretation of the Chylomicron Band.** Lila Wolfman and B. A. Sachs
- 621 **Modification of a Multistation Evaporator to Allow Greaseless Fitting of Tubes.** R. G. Brown

AUGUST

Second Annual Symposium on Automated, High-Resolution Analyses in the Clinical Laboratory, March 12 and 13, 1970. Sponsored by the Oak Ridge National Laboratory and the National Institute of General Medical Sciences.

- 623 Introduction. C. D. Scott and R. S. Melville
- 624 Welcoming. J. L. Liverman
- 625 Editor's Note. J. S. King, Jr.

I. Analytical Concepts

- 626 Miniature Photometers for Liquid Chromatography. L. H. Thacker, W. W. Pitt, Jr., S. Katz, and C. D. Scott
- 633 Diagnostic Application of Metabolic Studies with Isotopes. Ferenc Hutterer, Laszlo Sarkozl, John Roboz, and Paolo Bacchin
- 637 Method for Resolving and Measuring Overlapping Chromatographic Peaks by Use of an On-Line Computer with Limited Storage Capacity. C. D. Scott, D. D. Chilcote, and W. W. Pitt, Jr.
- 643 The Microscope, Spectra, and Automated Analysis. S. S. West

II. Analytical Systems

- 651 Simultaneous Multicolumn Liquid/Liquid and Liquid/Solid Chromatography with a Computerized Readout System. Per Vestergaard
- 657 A Bench-Top, Automated, High-Resolution Analyzer for Ultraviolet-Absorbing Constituents of Body Fluids. W. W. Pitt, Jr., C. D. Scott, W. F. Johnson, and Guy Jones, Jr.
- 662 Two-Dimensional Thin-Layer Chromatography on Two-Layer Plates of Amino Acids. F. Krafczyk, R. Helger, and H. Lang
- 667 Rapid Separation of the Components of Nucleic Acids and Urine by High-Resolution Liquid Chromatography. A. C. Burtis, M. N. Munk, and F. R. MacDonald
- 677 Analysis of Compounds of Biological Interest by Electron Spectroscopy. L. D. Hulett and T. A. Carlson

III. Applications and Experimental Results

- 681 Effect of a Chemically Defined Diet on Urinary Excretion of Minerals and Aromatic Compounds. D. S. Young
- 687 Preliminary Results from High-Resolution Analyses of Ultraviolet-Absorbing and Carbohydrate Constituents in Several Pathologic Body Fluids. R. L. Jolley and C. D. Scott
- 697 Serum Organic Acids in Sheep Exposed to Neutron-Gamma Irradiation, Air Blast, or Both. T. R. Henderson and R. K. Jones
- 702 Ultraviolet-Absorbing Compounds in Urine of Normal Newborns and Young Children. J. M. Vavich and R. R. Howell
- 707 Effect of Dietary Purine Restriction, Allopurinol, and Oxipuro on Urinary Excretion of Ultraviolet-Absorbing Compounds. W. N. Kelley and J. B. Wyngaarden
- 714 Ultraviolet-Absorbing Components of Urine from Mentally Retarded Children. III. E. W. Lis, A. W. Lis, and K. F. deHackbeil
- 722 Gas-Chromatographic Identification of Urinary Carbohydrates Isolated by Anion-Exchange Chromatography. W. C. Butts and R. L. Jolley
- 727 The Clinical Chemist. D. A. H. Roethel
- 732 Book Reviews. M. K. Schwartz and R. O. Bowman

SEPTEMBER

- 733 Review: Clinical Applications of Isoenzymes. J. H. Wilkinson
- 740 Serum Content of Macroglobulins (19S Fraction) and Its Variation with Age when Determined by Thin-Layer Gel-Filtration. L. P. de Goldman, Liliana Ballivan, and Ernesto Melgar
- 743 Lipids of Commercial Serum Products Offered as Controls or "Standards" for Cholesterol and Triglyceride Determinations. R. F. Witter, M. Kuchmak, J. H. Williams, V. S. Whitner, and C. L. Winn
- 749 Pediatric Xylose Absorption Test: Measurements in Blood Preferable to Measurements in Urine. K. I. Hawkins

- 753 Automated Simultaneous Determination of p-Acetylaminohippurate and Inulin in Serum. A. Looyé
- 756 Chemical versus Spectrophotometric Determination of Bilirubin in Amniotic Fluid, and the Influence of Hemoglobin and Metheme Pigments. J. Kapitulnik, N. A. Kaufmann, and S. H. Blondheim
- 760 Computer Calculation of Serum Protein Electrophoresis, Based on Peak Height Measurements. S. M. Sax and J. J. Moore
- 763 Semiautomated Method for Measurement of Dopa in Plasma. H. E. Spiegel and A. E. Tonchen
- 766 Plasma Vitamin A Assay by Fluorometry and Use of a Silicic Acid Column Technique. P. J. Garry, J. D. Pollock, and G. M. Owen
- 773 Quantitation of Sputum Protein by Use of the Biuret Reaction. J. P. Fields and Sanford Chodosh
- 776 Quantification of Serum Inorganic Phosphorus, Phosphatase, and Urinary Phosphate without Preliminary Treatment. J. F. Goodwin
- 781 A Discussion of the Linearity between the Measured Voltages of Ion-Selective Electrodes and the Ionic Concentrations in Whole Blood. G. W. Neff
- 786 Amphetamines in Human Urine: Rapid Estimation by Gas-Liquid Chromatography. J. W. Schweitzer and A. J. Friedhoff
- 789 Quality Control in the Astrup Method for Determining Acid-Base Parameters in Blood. C. D. Russell and H.-D. Roehrer
- 792 Estimating Aberrant Homeostasis: Variance in Serum Calcium Concentration as an Aid in Diagnosis of Hyperparathyroidism. G. W. Drach and J. S. King, Jr.

Scientific Notes

- 797 Emergency Screening of Urine, Plasma, or Gastric Contents for Barbiturates. E. Z. Helman
- 798 Absence of Measurable Leukocyte Alkaline Phosphatase Activity from Leukocytes of Patients with Chronic Granulocytic Leukemia. L. R. DeChatelet, M. R. Cooper, and C. E. McCall
- 801 The Clinical Chemist. D. A. H. Roethel
- 807 Book Reviews. E. Knoblock and J. S. King, Jr.

Letters

- 809 Added Technique in Estimating Bilirubin in Serum. S. H. Jackson and A. H. Hernandez
- 809 Normal Ranges and Gaussian Distributions. M. Werner D. S. Young, D. C. Heilbron, and W. J. Dixon (Reply). R. T. O'Kell and J. R. Elliott

OCTOBER

- 811 Review: Prenatal Diagnosis of Lipid Storage Disease. R. O. Brady
- 816 Automated Method for Determination of Serum Calcium by Use of Alizarin. C. S. Frings, P. S. Cohen, and L. B. Foster
- 820 Improved Nitromethane-Hyamine Method for the Chemical Determination of Nitrofurantoin in Whole Blood. G. L. Mattok, I. J. McGilveray, and Claude Charette
- 824 Ammonium Sulfate Precipitation of Conjugated Estrogens in Pregnancy Urine: Rapid Assay and Glucose Effects. G. S. Pinkus and J. L. Pinkus
- 832 Use of a Computer Program to Correct for Sample Interaction. A Significant Adjunct to Continuous-Flow Analysis. R. E. Thiers, Jule Meyn, and R. F. Wildermann
- 840 Comparison of Serum Lithium Determinations by Flame Photometry and Atomic Absorption Spectrophotometry. A. L. Levy and E. M. Katz

- 843 **Biochemical Profile of Amniotic Fluid to Assess Fetal Maturity.** P. L. Wolf, Daniel Bloch, and Tashiko Tsudaka
- 845 **Optimization of Radioimmunoassay for Human Growth Hormone by the Charcoal-Dextran Technique.** J. C. Meek, M. M. Stoskopf, and R. E. Bolinger
- 849 **Automated Enzymatic Method for L-Lactate in Blood.** G. V. Mann and Elizabeth Shute
- 853 **Urinary Excretion of Hydroxyproline after Fractures.** Mala Herzberg, Z. Oberman, O. Khermosh, and S. L. Weissman
- 856 **Progesterone in Nonpregnancy Plasma. An Assay Method for the Clinical Chemistry Laboratory.** A. O. Lurie and R. J. Patterson

Scientific Note

- 851 **A Rapid Quantitative Ion-Exchange Extraction for 2,8-Dioxyadenine.** S. H. White, M. R. Loken, and C. E. Shields
- 854 **Symposia Report.** Theodore Peters, Jr.
- 859 **The Clinical Chemist.** D. A. H. Roethel
- 875 **Book Reviews.** D. S. Young and Victor Tchertkoff

NOVEMBER

- 877 **Guest Editorial: Research by Clinical Chemists in the United States. A Statistical Analysis.** E. W. Rice
- 882 **Review: Clinical Significance of Enzyme Activity Measurements.** J. H. Wilkinson
- 891 **Quantitative Cation-Exchange Chromatographic Analysis of Free Amino Acids in Human Amniotic Fluid Collected during Early Pregnancy.** Abraham Saifer, Edward A'Zary, Carlo Valenti, and Larry Schneck
- 896 **An Artifact in the Analysis of Oxygenated Blood for Its Low Carbon Monoxide Content.** F. L. Rodkey and H. A. Collison
- 900 **Rapid Assay for Glycogen-Cycle Enzymes in Small Samples of Muscle.** J. C. Russell, Diane Tougas, and A. W. Taylor
- 903 **Measurement of Human Serum Ceruloplasmin by Its p -Phenylenediamine Oxidase Activity.** F. W. Sunderman, Jr. and Shozo Nomoto
- 911 **Automated Saccharogenic Assay of Alpha-Amylase Activity in Serum.** Louis Fridhandler and J. E. Berk
- 916 **Quantitative Determination of Chlorpromazine Metabolites in Urine.** W. J. Turner, P. A. Turano, and J. E. March
- 922 **Correlation between Results of a New T-3 Test and the Percentage of Free Thyroxine in Serum.** J. R. Leonards
- 925 **Prediction of Haptoglobin and α_2 -Macroglobulin Concentrations from Electrophoretic Patterns of Serum α_2 -Globulin.** M. H. Gault, Eleonore Elzer, and Alec Gabe
- 931 **Detection of Basic Organic Drugs and Their Metabolites in Urine.** M. L. Bastos, G. E. Kananen, R. M. Young, J. R. Monforte, and Irving Sunshine
- 941 **Variation in Blood ATP after Oral Administration of Glucose, in Individuals Diagnosed as Normal, Equivocal, or Diabetic, According to the Glucose Tolerance Sum Principle.** R. M. Windisch, P. R. Pax, and M. M. Bracken
- 945 **Molecular Basis for a Simple Specific Test for S Hemoglobin: the Murayama Test.** R. M. Nalbandian, R. L. Henry, B. M. Nichols, F. R. Camp, Jr., and P. L. Wolf
- 951 **A Source of Error in the Automated Serum Triiodothyronine-Uptake Test.** R. J. Mardell
- 954 **Thin-Layer Chromatography of Urinary Carbohydrates. A Comparative Evaluation of Procedures.** D. S. Young and A. J. Jackson
- 951 **The Clinical Chemist.** D. A. H. Roethel
- 957 **Book Reviews.** R. W. St. Clair, H. B. Lofland, Jr., J. S. King, Jr., and D. S. Young

Letters

- 959 **Modification of Digital Concentration Analyzer.** F. R. Dalal and Seymour Winsten
- 969 **Variables Affecting Results in the Clinical Laboratory.** Samuel Meites
- 970 **Chylomicron Measurement on Disc Electrophoresis.** Raleigh Hansl, Jr.

DECEMBER

- 971 **Editorials: A Backward Glance and an Extended Scope. The Editors; Letters to the Editor.** J. H. Boutwell and Irving Sunshine
- 972 **An Automated System for Kinetic Multiple-Point Determinations Exemplified by Serum Lactic Dehydrogenase Determination.** C. F. Fasce, Jr. and Robert Rej
- 980 **Direct Manual Determination of Serum Total Cholesterol with a Single Stable Reagent.** D. R. Wybenga, V. J. Pileggi, P. H. Dirstine, and J. Di Giorgio
- 985 **An Automated, Saccharogenic Method for Determining Serum Amylase Activity.** W. R. O'Neal and Nathan Gochman
- 990 **Assessment of Two Blood Analyzer Systems Intended for Diagnostic Testing in the Physician's Office.** J. E. Logan and M. L. E. Sunderland
- 998 **Measurement of Total Calcium in Serum by Atomic Absorption Spectrophotometry, with Use of a Strontium Internal Reference.** John Pybus, F. J. Feldman, and G. N. Bowers, Jr.
- 1008 **Labeling with Indocyanine Green of Serum Protein from Normal Persons and Patients with Acute Viral Hepatitis.** Jerzy Janeczek and Jerzy Krawczynski
- 1012 **Variation in Urinary Creatinine Excretion and Its Relationship to Measurement of Urinary 17-Hydroxycorticosteroids.** P. E. Cryer and Jonas Sode
- 1016 **Biological and Analytic Components of Variation in Long-Term Studies of Serum Constituents in Normal Subjects. I to III:**
- 1016 **I. Objectives, Subject Selection, Laboratory Procedures, and Estimation of Analytic Deviation.** G. Z. Williams, D. S. Young, M. R. Stein, and Ernest Cotlove
- 1022 **II. Estimating Biological Components of Variation.** E. K. Harris, Paul Kanofsky, George Shakarji, and Ernest Cotlove
- 1028 **III. Physiological and Medical Implications.** Ernest Cotlove, E. K. Harris, and G. Z. Williams
- 1033 **Invited Reviewers, 1970**
- 1033 **Corrections**
- Annual Index, Vol. 16, 1970**
- 1034 **Contents**
- 1039 **Authors**
- 1043 **Subjects**
- 1052 **The Clinical Chemist.** D. A. H. Roethel
- 1055 **Book Reviews.** J. S. King, Jr., Alex Kaplan, R. O. Bowman, Irving Sunshine, C. D. Scott

Letters

- 1057 **Detection of Contaminants in Sera before Routine Semi-automated Analysis for Thyroxine.** E. H. Elswick, Jr. and Diana Trundle
- 1057 **SGOT by Eskalab: A Caution.** Nathan Gochman (Reply). T. J. Larsen
- 1057 **Agreement of Data: A Critical Evaluation.** R. G. Mueller
- 1058 **Enzymatic Determination of Serum Glucose.** J. A. Daly
- 1058 **An Easily Corrected Source of Mercury Contamination.** S. A. Briggs

Authors Index

Abbreviations used: (A) Abstract, (B) Book Review, (C) Correction, (E) Editorial, (L) Letter, (R) Review, (S) Symposium, (SN) Scientific Note

A

- Abernethy, M. H.**, and Metcalf, M. G. Oxidation of urinary 17-oxygenic steroids with sodium metaperiodate, 274
- Acevedo, H. F.** (A), 532
- Adams, L. D.**, Curry, L. L., and Bartek, M. J. (SN), 60
- Adams, R. K.** (A), 515
- Ahuja, J. N.** (A), 531
- Alexander, R. L., Jr.** See Wright, R. K.
- Alford, D. A.** (A), 524
- Amenta, J. S.** Rapid extraction and quantification of total lipids and lipid fractions in blood and feces, 339
- Anderson, N. G.** (A), 515
- Ando, Toshiyuki**, and Nyhan, W. L. Simple screening method for detecting isovalerylglycine in urine of patients with isovaleric acidemia, 420
- Anido, G.** (A), 540
- Anuman-Rajadon, Y.** See Hobkirk, R.
- Appleton, H. D.** (A), 536
- Arndt, E. G.** See Babson, A. L.
- Arras, M. J.** (A), 527
- Asahara, Mineko.** See Uete, Tetsuo
- Ashby, T. M.**, Suggs, J. E., and Jue, D. L. Detection of atypical cholinesterase by automated pH stat method. Report of family with both atypical and silent gene alleles, 503
- Austin, F. G.** See Demetriou, J. A.
- A'Zary, Edward.** See Saifer, Abraham

B

- Babson, A. L.** (A), 519
- , and Arndt, E. G. (SN), 254
- , Tenney, S. J., and Megraw, R. E. New amylase substrate and assay procedure, 39
- Bacchin, Paolo.** See Hutterer, Ferenc
- Bakhtiar, A. K.** See Bischoff, Fritz
- Ballivian, Liliانا.** See de Goldman, L. P.
- Bank, A.** (A), 538
- Bannow, R. E.** (A), 535
- Barak, A. J.** Problem of unit of reference in expressing biochemical data, 222
- Barnard, A. J., Jr.** (A), 527
- Barness, L. A.**, Morrow, Grant, III, Nocho, R. E., and Maresca, R. A. Silicic acid chromatography of organic acids in blood cells and biological fluids, 20
- Bartek, M. J.** See Adams, L. D.
- Basis, M. L.** (A), 531
- Bastos, M. L.**, Kananen, G. E., Young, R. M., Monforte, J. R., and Sunshine, Irving. Detection of basic organic drugs and their metabolites in urine, 931
- Bauer, Robert.** (A), 526
- Baum, G.** See Wise, W. M.
- Beattie, J. M.** (A), 538
- Beckloff, Stanley.** (A), 532

- Belfield, Alan**, Ellis, Graham, and Goldberg, D. M. Specific colorimetric 5'-nucleotidase assay utilizing Berthelot reaction, 396
- Berk, J. E.** See Fridhandler, Louis
- Berry, H. K.** (A), 526
- Berson, S. A.** (A), 513
- Bianchi, L.** (B), 358
- Bischoff, Fritz.** (B), 358
- , and Bakhtiar, A. K. Free-electrophoretic behavior of urea-insulin reaction products, 291
- , See Bryson, George
- Blahey, P. R.** See Hobkirk, R.
- Blatt, W. F.** See Farese, Genevieve
- Bloch, Daniel.** See Wolf, P. L.
- Blondheim, S. H.** See Kapitlnik, J.
- Bolinger, R. E.** See Meek, J. C.
- Borges, J.** (A), 540
- Boutwell, J. H.**, and Sunshine, Irving. (E), 971
- Bowers, G. N., Jr.** (A), 527, 532
- , See Foster, L. B., and Pybus, John
- Bowles, Fred.** (A), 520
- Bowman, R. O.** (B), 732, 1055
- Bracken, M. M.** See Windisch, R. M.
- Brackett, J. W., Jr.** See Lebish, Paul
- Brady, R. O.** Prenatal diagnosis of lipid storage diseases (R), 811
- Briggs, S. A.** (L), 1058
- Brodie, Arthur**, and Hanok, Albert. (L), 65
- Brody, B. B.** (A), 513
- Brower, M. E.** (A), 539
- Brown, D. K.** See Myhre, L. G.
- Brown, H. H.** (A), 535
- Brown, R. G.** (L), 621
- Bruzek, V. E.** See Hill, R. M.
- Bryson, George**, and Bischoff, Fritz. Dopamine transport in human blood, 312
- Buckmaster, H. S.** See Van Meter, J. C.
- Bulashchenko, Helen.** (A), 531
- Burns, H. J.**, Jr. See Schwartz, P. L.
- Burtis, A. C.**, Munk, M. N., and MacDonald, F. R. Rapid separation of components of nucleic acids and urine by high-resolution liquid chromatography (S), 667
- Burtis, C. A.**, Goldstein, Gerald, and Scott, C. D. Fractionation of human urine by gel chromatography, 201
- Butts, W. C.**, and Jolley, R. L. Gas-chromatographic identification of urinary carbohydrates isolated by anion-exchange chromatography (S), 722

C

- Camp, F. R., Jr.** See Nalbandian, R. M.
- Campanini, R. Z.**, Tapia, R. A., Sarnat, William, and Natelson, Samuel. Evaluation of serum argininosuccinate lyase (ASAL). Concentrations as index to parenchymal liver disease (C), 1033, 44

- Campbell, E. A.** (A), 531, 532
- Campbell, F. M.** See Noble, R. P.
- Capp, G. L.** (A), 524
- Carlson, T. A.** See Hulett, L. D.
- Carpenter, D. B.** (A), 533
- Carr, E. Z., Jr.** (A), 513
- Carr, J. J.** See Mallikarjuneswara, V. R.
- Carroll, J. J.** (A), 519
- Cawley, L. P.** (A), 532
- Cawson, M.** See Keyser, J. W.
- Chalmers, Leslie.** (A), 520
- Charette, Claude.** See Mattok, G. L.
- Chilcote, D. D.** See Scott, C. D.
- Chodosh, Sanford.** See Fields, J. P.
- Choi, Siu-Ying.** See Goodwin, J. F.
- Clemetson, C. A.** See Mallikarjuneswara, V. R.
- Cohen, E. L.**, Hermann, George, III, and Sugiura, H. T. Quality-control program based on use of desk-top digital computer, 305
- Cohen, P. S.** (A), 534, 540
- , See Frings, C. S.
- Collison, H. A.** (A), 525
- , See Rodkey, F. L.
- Conetta, Aldo.** (A), 530
- Conklin, J. D.** See Hollifield, R. D.
- Cook, V. P.** (A), 524
- Cooper, G. R.** (A), 534
- Cooper, M. R.** See DeChatelet, L. R.
- Cooper, T. G.** (A), 529
- Cooperman, J. M.**, Pesci-Bourel, A., and Lubbay, A. L. Urinary excretion of folic acid activity in man, 375
- Copeland, W. H.** (A), 533
- Costantini, M. L.** (A), 524
- Cotlove, Ernest**, Harris, E. K., and Williams, G. Z. Biological and analytical components of variation in long-term studies of serum constituents in normal subjects. Physiological and medical implications (S), 1028
- , See Harris, E. K., and Williams, G. Z.
- Crowley, L. V.** (A), 535
- Cryer, P. E.**, and Sode, Jonas. Variation in urinary creatinine excretion and its relationship to measurement of urinary 17-hydroxycorticosteroids, 1012
- Culp, T. W.** (A), 527
- Cupfola, Richard.** (A), 530
- Curry, L. L.** See Adams, L. D.
- Czarnetzky, E. M.** (A), 521

D

- Dain, D. W.**, and Trainer, T. D. Simultaneous spectrophotometric determination of glutathione and barbiturates, 318
- Dalal, F. R.** (A), 523
- , and Winsten, Seymour. (L), 369
- Daly, J. A.** (L), 1058
- Daly, John.** (A), 530
- Darcey, B.** See Evenson, M. A.
- de Boer, T.** See Ederveen, A. B.
- DeChatelet, L. R.**, Cooper, M. R., and McCall, C. E. (SN), 798
- de Goldman, L. P.**, Ballivian, Liliانا, and Melgar, Ernesto. Serum content of macroglobulins (19S fraction) and its variation with age when determined by thin-layer gel-filtration, 740

- deHackbeil, K. F.** See Lis, E. W.
- Delea, Ann.** (A), 530
- Demetriou, J. A.** (A), 538
- , and Austin, F. G. Quantitation of plasma testosterone by improved competitive protein-binding technique, 111
- Denko, C. W.**, Purser, D. B., and Johnson, R. M. Amino acid composition of serum albumin in normal individuals and in patients with rheumatoid arthritis, 54
- Deutsch, M. E.** (A), 526
- deVos, D.** (A), 538
- Dickey, R. P.** See Grannis, G. F.
- Dietz, A. A.** (A), 540
- Di Giorgio, J.** See Wybenga, D. R.
- Dill, D. B.** See Myhre, L. G.
- Dirstine, P. H.** See Wybenga, D. R.
- Dixon, W. J.** See Werner, M.
- Donauer, R. M.** (A), 531
- Doumas, Basil.** See Foster, L. B.
- Drach, G. W.**, and King, J. S., Jr. Estimating aberrant homeostasis: variance in serum calcium concentration as aid in diagnosis of hyperparathyroidism, 792
- Drell, William.** See Jones, Donald
- Drewes, P. A.** (A), 537
- Dunn, R. T.** See Foster, L. B., and Frings, C. S.

E

- Eavenson, Eloise.** (A), 533
- Eckman, Irving**, Robbins, J. B., Van den Hamer, C. J. A., Lentz, John, and Scheinberg, I. H. Automation of quantitative immunochemical microanalysis of human serum transferrin: model system, 558
- Ederveen, A. B.**, and de Boer, T. (L), 360
- Edwards, Leila.** (A), 525
- Eggert, A. A.** See Toren, E. C., Jr.
- Eichhorn, F.** See Fischl, J.
- Elliott, J. R.** See O'Kelly, R. T.
- Ellis, Graham.** See Belfield, Alan
- Elrod, L. H.** (A), 514
- Elser, R. C.** (A), 537
- Elswick, W. H., Jr.**, and Trundle, Diana. (L), 1057
- Elzer, Eleonore.** See Gault, M. H.
- Epley, J. A.** (A), 527
- Ertlingshausen, G.** (A), 530
- Evenson, M. A.** (A), 530, 538
- , Hicks, G. P., and Thiers, R. E. Peak characteristics and computers in continuous-flow analysis, 606
- , Jones, P., and Darcey, B. Simultaneous measurement of diphenylhydantoin and primidone in serum by gas-liquid chromatography, 107

F

- Fabiny, Diane.** (A), 530
- Fabry, P. J.** (A), 523
- Fang, V. S.**, and Selenkow, H. A. Determination of free thyroxine in serum by low-temperature equilibrium dialysis, 185

- Faresse, Genevieve, and Mager, Milton.** Protein-free filtrates obtained by membrane ultrafiltration. Application to determination of serum constituents, 280
- , Mager, Milton, and Blatt, W. F. Membrane ultrafiltration procedure for determining diffusible calcium in serum, 226
- Fasce, C. F., Jr. (A), 533**
- , and Rej, Robert. An automated system for kinetic multiple-point determinations exemplified by serum lactic dehydrogenase determination, 972
- Faucette, W. E. (A), 532**
- Feldman, F. J.** See Pybus, John
- Fidel, P. A. (A), 520**
- Fields, J. P., and Chodosh, Sanford.** Quantitation of sputum protein by use of biuret reaction, 773
- Fieve, R. R.** See Sutter, E.
- Fincham, R. W. (A), 535**
- Fingerhut, Benjamin. (A), 537**
- Finkle, B. S.** See Lebish, Paul
- Fischer, R. L. (A), 520**
- Fischl, J., Eichhorn, F., Rutenberg, A., and Majar, Ch.** Conventional and preparative electrophoretic separation of some urinary porphyrins and porphyrin precursors (C, 1033), 331
- Fletcher, M. J., and Styliou, M. H.** Simple method for separating serum lipoproteins by electrophoresis on cellulose acetate, 362
- Fonseca, Ivelice. (A), 528**
- Foreman, J. A.** See Klein, Bernard
- Forman, D. T. (A), 523**
- Foster, L. B. (A), 534**
- , and Frings, C. S. Determination of diazepam (Valium) concentrations in serum by gas-liquid chromatography, 177
- , Frings, C. S., Dunn, R. T., Bowers, G. N., Jr., Pybus, John, and Doumas, Basil. (L), 546
- , See Frings, C. S.
- Foy, E. F. (A), 527**
- Frailay, Jacqueline.** See Jubiz, William
- Freeman, L. W.** See Solow, E. B.
- Fridhandler, Louis, and Berk, J. E.** Automated saccharogenic assay of alpha-amylase activity in serum, 911
- Frieden, E.** See Johnson, D. A.
- Friedhoff, A. J.** See Schweitzer, J. W.
- Friedland, Joan. (A), 524**
- Friedman, H. S. (L), 619**
- Friedman, M. M., and King, J. S., Jr. (E), 1**
- Frings, C. S. (A), 534, 540**
- , (L), 618
- , Cohen, P. S., and Foster, L. B. Automated method for determination of serum calcium by use of alizarin, 816
- , Ratliff, C. R., and Dunn, R. T. Automated determination of glucose in serum or plasma by direct o-tolidine procedure, 282
- , See Foster, L. B.
- Fritz, G. E. (A), 524**
- G**
- Gabe, Alec.** See Gault, M. H.
- Gambino, S. R. (A), 522, 528**
- Gant, P. W.** See Pryce, J. D.
- Gardner, E., Jr. (A), 524**
- Garry, P. J. (A), 535**
- , Pollack, J. D., and Owen, G. M. Plasma vitamin A assay by fluorometry and use of silicic acid column technique, 766
- Gatt, J. A.** See Padmore, G. R. A.
- Gault, M. H., Elzer, Eleonore, and Gabe, Alec.** Prediction of haptoglobin and α_2 -macroglobulin concentrations from electrophoretic patterns of serum α_2 -globulin, 925
- George, B. (A), 529**
- Gerber, L. F.** See Jones, Donald
- Gevedon, R. E. (A), 527**
- Gindler, E. M. (A), 519, 536**
- , Calculation of normal ranges by methods used for resolution of overlapping Gaussian distributions, 124
- , (SN), 347, 350, 440
- Givelber, Harry.** See Gochman, Nathan
- Gochman, Nathan. (A), 523**
- , (L), 1057
- , and Givelber, Harry. Automated simultaneous microdetermination of calcium and magnesium by atomic absorption, 229
- , See O'Neal, W. R.
- Goldberg, D. M.** See Belfield, Alan
- Goldberg, N. L. (A), 538**
- Goldberger, Harry. (A), 523, 537**
- Goldstein, Gerald.** See Burtis, C. A.
- Gooding, K. M. (A), 536**
- Goodman, S. I.** See Hammond, K. B.
- Goodwin, J. F. (A), 520, 528**
- , Method for simultaneous direct estimation of glucose and xylose in serum (C, 1033), 85
- , Quantification of serum inorganic phosphorus, phosphorus, phosphatase, and urinary phosphate without preliminary treatment, 776
- , and Choi, Siu-Ying. Quantification of protein solutions with trinitrobenzenesulfonic acid, 24
- Gordon, Amirav. (A), 526**
- Grannis, G. F. (A), 532, 538**
- , Plasma fibrinogen: determination, normal values, physiopathologic shifts, and fluctuations (C, 1033), 496
- , and Dickey, R. P. Simplified procedure for determination of estrogen in pregnancy urine, 97
- Grayson, S. H. (A), 523**
- Green, Allen. (A), 522**
- Grigorian, Andy. (A), 531**
- Griswold, R. E. (A), 535**
- Gross, Jack. (A), 526**
- Grossi, C. E.** See Prytz, Bo
- Grüner, H. D. (A), 524, 532**
- Gudaitis, A. V. (A), 531**
- H**
- Habig, R. L., and Williamson, W. R. (SN), 251**
- Hähnel, R.** See Stenhouse, N. S.
- Hagerty, J. C. (A), 519**
- Hainline, Adrian, Jr. (A), 533**
- Hall, E. C. (A), 533, 534**
- Hall, F. F. (A), 527**
- Hall, F. G.** See Myhre, L. G.
- Hallaway, B. E., and Sandberg, Rodney.** Determination of fecal triglycerides and fatty acids of medium chain length by electrical capacitance and by petroleum ether extraction, 408
- Hammer, F. E. (A), 523, 527**
- Hammond, K. B., and Goodman, S. I.** Gas chromatographic procedure for detection of pathological organic aciduria, 212
- Hanok, Albert.** See Brodie, Arthur
- Hansl, Raleigh, Jr. (L), 970**
- Harris, E. K., Kanofsky, Paul, Shakarji, George, and Cotlove, Ernest.** Biological and analytic components of variation in long-term studies of serum constituents in normal subjects. Estimating biological components of variation (S), 1022
- , See Cotlove, Ernest
- Hassan, Anne.** See O'Malley, J. A.
- Hatcher, D. W. (A), 514**
- Haux, Peter, and Natelson, Samuel.** Method for determination of cystine in urine, 366
- Hawkins, K. I.** Pediatric xylose absorption test: measurements in blood preferable to measurements in urine, 749
- Heilbron, D. C.** See Werner, M.
- Heintges, M. G. (A), 534**
- Helger, R. (A), 526**
- , See Krafczyk, F.
- Hellman, Leon. (A), 531**
- Helman, E. Z. (SN), 797**
- Henderson, T. R., and Jones, R. K.** Serum organic acids in sheep exposed to neutron-gamma irradiation, air blast, or both (S), 697
- Henry, J. B. (A), 527**
- Henry, R. L.** See Nalbadian, R. M.
- Herman, T. S. (A), 528**
- Hermann, George, III.** See Cohen, E. L.
- Hernandez, A. H.** See Jackson, S. H.
- Herzberg, Mala, Oberman, Z., Khmush, O., and Weissman, S. L.** Urinary excretion of hydroxyproline after fractures, 853
- Hetland, L. B. (A), 524**
- Hicks, G. P.** See Evenson, M. A., and Toren, E. C., Jr.
- Hill, R. M. (A), 515**
- , and Bruzek, V. E. Apparatus for collecting fractions from density differential interfaces and its use in gravimetric measurement of total myelin, 171
- Hobkirk, R., Anuman-Rajadon, Y., Nilsen, M., and Blahay, P. R.** Contribution of estril to total urinary estrogens during pregnancy, 235
- Hodges, L. K. (A), 540**
- Hodgkinson, A.** Determination of oxalic acid in biological material, 547
- Hoffman, N. E. (A), 536**
- Holguin, R. J. (A), 522**
- Hollifield, R. D., and Conklin, J. D.** Method for determining nitrofurantoin in urine in presence of phenazopyridine hydrochloride and its metabolites, 335
- Homolka, Jiri.** Measurement of polarographically active sulfur in human serum fractions obtained by paper electrophoresis, 155
- Horbal, W. R. (A), 539**
- Howell, R. R.** See Vavich, J. M.
- Hsu, C. J. (A), 519**
- Hulett, L. D., and Carlson, T. A.** Analysis of compounds of biological interest by electron spectroscopy (S), 677
- Humbel, R. (SN), 58**
- Hunner, M. C. (A), 537**
- Hunt, B. J., and Manery, J. F.** Use of ion-exchange resin in preparing erythrocytes for magnesium determinations, 269
- Hunter, D. T., Jr. (A), 520**
- Hutchinson, B. A.** See Krieg, A. F.
- Hutterer, Ferenc, Sarkozi, Laszlo, Roboz, John, and Bacchin, Paolo.** Diagnostic application of metabolic studies with isotopes (S), 633
- I**
- Ibbott, F. A.** See Winkelman, James
- Inami, Kazuko. (A), 528**
- J**
- Jackson, Agathe. (A), 527**
- Jackson, A. J.** See Young, D. S.
- Jackson, S. H., and Hernandez, A. H. (L), 809**
- , New "Bilirubinometer" and its use in estimating total and conjugated bilirubin in serum (C, 1033), 462
- Jacobs, S. L. (A), 527**
- Janecki, Jerzy, and Krawczynski, Jerzy.** Labeling with indocyanine green of serum pro-
- tein from normal persons and patients with acute viral hepatitis, 1008
- Janson, J. M., Jr. (A), 515**
- Jenest, E. S. (A), 520**
- Johnson, D. A., Osaki, S., and Frieden, E. (L), 65**
- Johnson, R. M.** See Denko, C. W.
- Johnson, W. F.** See Pitt, W. W., Jr.
- Jolley, R. L. (A), 516**
- , and Scott, C. D. Preliminary results from high-resolution analyses of ultraviolet-absorbing and carbohydrate constituents in several pathologic body fluids (S), 687
- , See Butts, W. C.
- Jonas, A. M. (A), 520**
- Jones, A. L.** See Werner, Mario
- Jones, Donald, Gerber, L. P., and Drell, William.** Rapid enzymatic method for estimating ethanol in body fluids, 402
- Jones, Guy, Jr.** See Pitt, W. W., Jr.
- Jones, J. D. (A), 526**
- Jones, P.** See Evenson, M. A.
- Jones, R. K.** See Henderson, T. R.
- Jordan, W. J., Jr., and Knoblock, E. C.** Micromethod for total serum cholesterol that eliminates interference by high bilirubin concentrations, 18
- Jubiz, William, Frailey, Jacqueline, and Tyler, F. H. (SN), 352**
- Jue, D. L.** See Ashby, T. M.
- Jung, D. H. (A), 536**
- , and Parekh, A. C. Improved reagent system for measurement of serum uric acid (C, 1033), 247
- K**
- Kaffczyk, F. (A), 526**
- Kailweit, E. (A), 528**
- Kameda, Naomi. (A), 534**
- Kananen, G. E.** See Bastos, M. L.
- Kanofsky, Paul.** See Harris, E. K.
- Kanter, S. L. (A), 539**
- Kapitulnik, J., Kaufmann, N. A., and Blondheim, S. H.** Chemical versus spectrophotometric determination of bilirubin in amniotic fluid, and influence of hemoglobin and methemoglobin, 756
- Kaplan, Alex. (A), 529, 537**
- , (B), 1055
- Katchman, B. J., and Zipf, R. E.** Correlation between triglycerides and glutamic-pyruvic transaminase in men on high-fat diets, 118
- Katz, E. M.** See Levy, A. L.
- Katz, S.** See Thacker, L. H.
- Kaufmann, N. A.** See Kapitulnik, J.
- Kee, Sandra. (A), 521**
- Keelen, R. M. (A), 532**
- Kelley, M.-L. (A), 532**
- Kelley, W. N., and Wyngaarden, J. B.** Effect of dietary purine restriction, allopurinol, and oxipurinol on urinary excretion of ultraviolet-absorbing compounds (S), 707
- Kessler, Gerald. (A), 530**
- , and Pileggi, V. J. Semiautomated nonincineration technique for determining serum thyroxine, 382
- Keyser, J. W., and Cawson, M. (SN), 147**
- Khmush, O.** See Herzberg, Mala
- Kilbrick, A. C. (A), 538**
- King, J. S., Jr. (B), 154, 358, 546, 807, 808, 968, 1055**
- , Editor's Note, 625
- , See Drach, G. W., and Friedman, M. M.
- Klein, Bernard. (A), 519**
- , Foreman, J. A., and Searcy, R. L. New chromogenic substrate for determination of serum amylase activity, 32
- , Kleinman, Norman, and Searcy, R. L. Application of Fe²⁺-5-pyridylbenzodiazepin-2-ones to automated determinations of serum iron and iron-binding capacity, 495

Kleinman, Norman. See Klein, Bernard
 Knoblock, E. C. (B), 807
 —, See Jordan, W. J., Jr.
 Kolz, Byron. (A), 521
 Koskela, Pentti, and Toivonen, Ilkka. Preparation of ^{14}C -labeled series I and III porphyrins, 459
 Krafczyk, F., Helger, R., and Lang, H. Two-dimensional thin-layer chromatography on two-layer plates of amino acids (S), 662
 Kramer, E. (A), 539
 Krasner, Joseph. (A), 525
 Krawczynski, Jerzy. See Janeczek, Jerzy
 Kream, Jacob. (A), 531
 Krieg, A. F., and Hutchinson, B. A. (SN), 443
 Kuchmak, M. See Williams, J. H., and Witter, R. F.
 Kunesch, J. P., and Small, L. L. (SN), 148
 Kurey, M. J. See Wise, W. M.

L

Laessig, R. H. (A), 522, 533
 Lang, H. (A), 526
 —, See Krafczyk, F.
 Larsen, T. H. (L), 1057
 Lebish, Paul, Finkle, B. S., and Brackett, J. W., Jr. Determination of amphetamine, methamphetamine, and related amines in blood and urine by gas chromatography with hydrogen-flame ionization detector, 196
 Lee, Edgar, Jr. (E), 261
 Lee, K. T. (A), 525
 Lehman, D. A. (A), 530
 Lehmann, H. P. (A), 529
 Lentz, John. See Eckman, Irving
 Lenz, P. H., and Passannante, A. J. Rapid glucose oxidase-peroxidase ultramicro method for determination of blood glucose, 427
 Leon, Luis. (A), 530
 Leonards, J. R. Correlation between results of new T-3 test and percentage of free thyroxine in serum, 922
 Levy, A. L. (A), 539
 —, and Katz, E. M. Comparison of serum lithium determinations by flame photometry and atomic absorption spectrophotometry, 840
 Levy, S. K. (A), 539
 Lewis, J. P. (A), 524
 Lipshutz, V. G. (A), 530
 Lis, A. W. See Lis, E. W.
 Lis, E. W., Lis, A. W., and deHackbeil, K. F. Ultraviolet-absorbing components of urine from mentally retarded children. III (S), 714
 Liverman, J. L. Welcome (S), 624
 Lofland, H. B., Jr. (B), 967
 Logan, J. E., and Sunderland, M. L. E. Assessment of two blood-analyzer systems intended for diagnostic testing in physician's office, 990
 Loken, M. R. See White, S. H.
 Looyé, A. Automated simultaneous determination of p-acyltaminohippurate and inulin in serum, 753
 Lorentz, Klaus, and Oltmanns, Detlef. New saccharogenic micromethod for measurement of amylase activity in biological fluids, 300
 Lott, J. A. (A), 528, 532
 —, and Mercier, J. E. Semiautomated method for determining amylase activity in serum and urine, 390
 Louderback, Allan. (A), 533
 Lovelady, H. G., and Stork, E. J. (SN), 253
 Lucas, L. B. (A), 519
 Luby, A. L. See Cooperman, J. M.
 Lurie, A. O., and Patterson, R. J. Progesterone in nonpregnancy plasma. Assay method

for clinical chemistry laboratory, 856
 Lustgarten, C. S. (A), 536

M

MacDonald, F. R. See Burtis, A. C.
 MacQueen, J. (A), 540
 Mager, Milton. See Farese, Genevieve
 Majar, Ch. See Fischl, J.
 Mallikarjuneswara, V. R., Clementson, C. A. B., and Carr, J. J. Determination of bilirubin in amniotic fluid. New, simple, and efficient method, 180
 Manery, J. F. See Hunt, B. J.
 Mann, G. V., and Shute, Elizabeth. Automated enzymatic method for L-lactate in blood, 883
 March, J. E. See Turner, W. J.
 Mardell, R. J. Source of error in automated serum triiodothyronine-uptake test, 951
 Maresca, R. A. See Barness, L. A.
 Martinek, R. G. (A), 523, 527
 Mary, Nicole. (A), 538
 Mather, A. (A), 529, 533
 Matsuyama, George. (A), 528
 Mattok, G. L., McGilveray, I. J., and Charette, Claude. Improved nitromethanehydrazine method for chemical determination of nitrofurantoin in whole blood, 820
 Maydak, J. J. (A), 531
 McCabe, W. C. (A), 532
 McCall, C. E. See DeChatelet, L. R.
 McComb, R. B. (A), 532
 McEvoy, Donald. (A), 531
 McGilveray, I. J. See Mattok, G. L.
 McKenna, M. J. (A), 540
 —, See Sine, H. E.
 McMahon, John. (A), 521
 Mead, L. W. (A), 526
 Mealy, Edward. (A), 533
 Meek, J. C., Stoskopf, M. M., and Bolinger, R. E. Optimization of radioimmunoassay for human growth hormone by charcoal-dextran technique, 845
 Megraw, R. E. See Babson, A. L.
 Meites, Samuel. (L), 969
 Melgar, Ernesto. See de Goldmann, L. P.
 Melville, R. S. See Scott, C. D.
 Mercier, J. E. See Lott, J. A.
 Metcalf, M. G. See Abernethy, M. H.
 Meyn, Julie. (A), 522
 —, See Thiers, R. E.
 Michelotti, F. W. (A), 527
 Mitruka, B. M. (A), 520
 Miyada, D. S. (A), 528
 Monforte, J. R. See Bastos, M. L.
 Montgomery, C. K. See Werner, Mario
 Moore, J. J. See Sax, S. M.
 Moorehead, M. R., and Sasse, E. A. Automated micromethod for determination of serum glucose, with improved o-toluidine reagent, 285
 Moores, R. R. (A), 524
 Morrow, Grant, III. See Barness, L. A.
 Moss, D. W. (A), 516
 —, Dilemmas in quality control of enzyme determinations, 500
 Muehlhaecher, C. A., and Smith, E. K. Three hydrolysis methods for 17-ketosteroid sulfates compared by colorimetric and gas-liquid chromatographic analyses, 158
 Mueller, R. G. (L), 1057
 Munk, M. N. See Burtis, A. C.
 Munro, Miranda. See Wenger, Julius
 Murphy, J. D. (A), 534
 Murphy, J. J., Jr. See Sideman, Leonard
 Murray, M. H. (A), 523, 540
 —, See Sine, H. E.
 Myhre, L. G., Dill, D. B., Hall, F. G., and Brown, D. K. Blood volume changes during three-week residence at high altitude, 7

N

Nalbandian, R. M., Henry, R. L., Nichols, B. M., Camp, F. R., Jr., and Wolf, P. L. Molecular basis for simple, specific test for S hemoglobin: Murayama test, 945
 Narayanan, Sheshari. (A), 536
 Natelson, Samuel. See Campanini, R. Z., and Haux, Peter
 Neal, W. A. (A), 524
 Neff, G. W. Discussion of linearity between measured voltages of ion-selective electrodes and ionic concentrations in whole blood, 781
 —, Radke, W. A., Sambucetti, C. J., and Widdowson, G. M. Computer-assisted electrode system for measuring blood pH, pO_2 , pCO_2 , sodium, and potassium, 566
 Nichols, B. M. See Nalbandian, R. M.
 Nilsen, M. See Hobkirk, R.
 Ninomiya, Kiichi. See Uete, Tetsuo
 Nishi, H. H. (A), 540
 Noble, R. P., and Campbell, F. M. Improved accuracy in automated fluorometric determination of plasma triglycerides, 166
 Nocho, R. E. See Barness, L. A.
 Nomoto, Shozo. (A), 529
 —, and Sunderman, F. W., Jr. Atomic absorption spectrometry of nickel in serum, urine, and other biological materials, 477
 —, See Sunderman, F. W., Jr.
 Novak, Marcia. (A), 534
 Nussenbaum, Siegfried. See Werner, Mario
 Nyhan, W. L. See Ando, Toshiyuki

O

Oberman, Z. See Herzberg, Mala
 Ogila, T. F. (A), 523
 O'Kelly, R. T., and Elliott, J. R. Development of normal values for use in multitest biochemical screening of sera, 161
 —, (L), 809
 Olson, M. (A), 530
 Oltmanns, Detlef. See Lorentz, Klaus
 O'Malley, J. A. (A), 521
 —, Hassan, Anne, Shiley, Judith, and Traynor, Henry. Simplified determination of serum iron and total iron-binding capacity, 92
 O'Neal, W. R. (A), 523
 —, and Gochman, Nathan. Automated, saccharogenic method for determining serum amylase activity, 985
 Ortiz, Antonia. (A), 537
 Osaki, S. See Johnson, D. A.
 Osserman, E. F. (A), 516
 Owen, G. M. (A), 535
 —, See Garry, P. J.

P

Padmore, G. R. A., and Gatt, J. A. Between-bottle variation as source of error in quality control sera, 15
 Pallotta, M. A. (A), 534
 Parekh, A. C. (A), 536
 —, See Jung, D. H.
 Passannante, A. J. See Lenz, P. H.
 Paul, D. (A), 540
 Patterson, R. J. See Lurie, A. O.
 Pax, P. R. See Windisch, R. M.
 Peguero, B. G. (A), 522
 Perrelli, W. V., and Watson, C. J. Comparison of Weber-Schalm method with Ducci-Watson modification of Malloy-Evelyn method for serum bilirubin determination, 239
 Pesci-Bourel, A. See Cooperman, J. M.

Peters, Theodore, Jr. Symposia report, 864
 Peterson, J. I. Method for rapid infrared microdetermination of serum carbonate, 144
 Phillips, B. F. (A), 526
 Pickrell, J. A. (A), 536
 Pileggi, V. J. See Kessler, Gerald, and Wybenga, D. R.
 Pinkus, G. S., and Pinkus, J. L. Ammonium sulfate precipitation of conjugated estrogens in pregnancy urine: rapid assay and glucose effects, 824
 Pinkus, J. L. See Pinkus, G. S.
 Pitt, W. W., Jr., Scott, C. D., Johnson, W. F., and Jones, Guy, Jr. Bench-top, automated, high-resolution analyzer for ultraviolet-absorbing constituents of body fluids (S), 657
 —, See Scott, C. D., and Thacker, L. H.
 Platman, S. R. See Sutter, E.
 Pollack, J. D. (A), 535
 —, See Garry, P. J.
 Porter, C. J. (A), 528
 Posen, Solomon. (A), 517
 —, Turnover of circulating enzymes (E), 71
 Pryce, J. D., Gant, P. W., and Saul, K. J. Normal concentrations of lactate, glucose, and protein in cerebrospinal fluid, and diagnostic implications of abnormal concentrations, 562
 Prytz, Bo, Grossi, C. E., and Rousselot, L. M. In vitro formation of ammonia in blood of dog and man, 277
 Purser, D. B. See Denko, C. W.
 Pusch, A. L. (A), 527
 Pybus, John. (A), 527
 —, and Bowers, G. N., Jr. Measurement of serum lithium by atomic absorption spectroscopy, 139
 —, Feldman, F. J., and Bowers, G. N., Jr. Measurement of total calcium in serum by atomic absorption spectrophotometry, with use of strontium internal reference, 598
 —, See Foster, L. B.

Q

Quick, D. T. (A), 537

R

Radke, W. A. See Neff, G. W.
 Rahill, W. J., Wilson, A. C., and Stubbins, M. (SN), 512
 Ratliff, C. R. (A), 527
 —, See Frings, C. S.
 Ray, R. A. (A), 522
 Raymond, Samuel. (A), 520
 Reed, A. H. Use of patient data for quality control of clinical laboratory tests, 129
 Reilly, T. J. (A), 537
 Rej, Robert. See Fasce, C. F., Jr.
 Rejent, T. A. (A), 540
 —, See Sine, H. E.
 Rhindress, M. C. (A), 535
 Rice, E. W. (A), 526
 —, Research by clinical chemists in United States. Statistical analysis (E), 877
 Richeal, R. J. (A), 521
 Robbins, J. B. See Eckman, Irving
 Roboz, John. See Hutterer, Ferenc
 Rodkey, F. L. (A), 525
 —, and Collison, H. A. Artifact in analysis of oxygenated blood for its low carbon monoxide content, 896
 Roehrer, H.-D. See Russell, C. D.
 Roethel, D. A. H. The Clinical Chemist, 66, 151, 257, 355, 447, 542, 615, 727, 801, 869, 961, 1035, 1052
 Roland, D. (A), 529
 Rose, N. R. (A), 517

Roussetot, L. M. See Prytz, Bo
 Routh, J. I. (A), 535, 539
 Roy, A. V. Rapid method for determining alkaline phosphatase activity in serum with thymolphthalein monophosphate, 431
 Rubin, Martin. (A), 521
 Rubinstein, H. M. (A), 540
 Rupe, C. O. (A), 526
 Rush, R. L. (A), 530
 Russell, C. D., and Roeher, H.-D. Quality control in Astrup method for determining acid-base parameters in blood, 789
 Russell, J. C., Tougas, Diane, and Taylor, A. W. Rapid assay for glycogen-cycle enzymes in small samples of muscle, 900
 Rutenberg, A. See Fischl, J.

S

Sachs, B. A. See Wolfman, Lila
 Saifer, Abraham. (A), 524
 —, A'Zary, Edward, Valenti, Carlo, and Schneck, Larry. Quantitative cation-exchange chromatographic analysis of free amino acids in human amniotic fluid collected during early pregnancy, 891
 Sallaberger, G. See Wachter, H.
 Sambucetti, C. J. See Neff, G. W.
 Sandberg, Rodney. See Hallaway, B. E.
 Sandhu, R. S. (A), 532
 Sarkozi, Laszlo. See Hutterer, Ferenc
 Sarnat, William. See Campanini, R. Z.
 Sass, M. D. Disappearance of glutathione from serum or hemoglobin solutions, 466
 Sasse, E. A. See Moorehead, W. R.
 Saul, K. J. See Pryce, J. D.
 Savory, J. (A), 534, 537
 Sax, S. M., and Moore, J. J. Computer calculation of serum protein electrophoresis, based on peak height measurements, 760
 Scheinberg, I. H. See Eckman, Irving
 Scheuerbrandt, G. (A), 526
 Schick, L. A. (A), 526
 Schmitz, Joan. (A), 540
 Schneck, Larry. See Saifer, Abraham
 Schwartz, M. K. (B), 732
 Schwartz, P. L., and Burns, H. J., Jr. Automated fluorometric method for determination of malate dehydrogenase activity in serum, 579
 Schwarz, H. P. (A), 520
 Schweitzer, J. W., and Friedhoff, A. J. Amphetamines in human urine: rapid estimation by gas-liquid chromatography, 786
 Scott, C. D. (A), 517
 —, (B), 1056
 —, Chilcote, D. D., and Pitt, W. W., Jr. Method for resolving and measuring overlapping chromatographic peaks by use of on-line computer with limited storage capacity (S), 637
 —, and Melville, R. S. Introduction (S), 623
 —. See Burtis, C. A., Jolley, R. L., Pitt, W. W., Jr., and Thacker, L. H.
 Searcy, R. L., See Klein, Bernard
 Selenkow, H. A. See Fang, V. S.
 Shakarji, George. See Harris, E. K.
 Shoshan, K. M. (A), 536
 Shelley, L. L. See Van Meter, J. C.
 Shepherd, J. A. (A), 539
 Sherry, A. E. See Toren, E. C., Jr.
 Shields, C. E. See White, S. H.
 Shiley, Judith. See O'Malley, J. A.
 Shute, Elizabeth. See Mann, G. V.

Sideman, Leonard. (L), 618
 —, Murphy, J. J., Jr., and Wilson, D. T. Collaborative study of serum calcium determination by atomic absorption spectroscopy, 597
 Simkin, P. A. Isolation and quantification of serum uric acid by adsorption chromatography, 191
 Sine, H. E. (A), 523, 540
 —, McKenna, M. J., Rejent, T. A., and Murray, M. H. Emergency gas-liquid chromatographic determination of barbiturates and glutethimide in serum, 587
 Singh, K. D. (A), 538
 Slutsky, A. S. (A), 521
 Small, L. L. See Kunesch, J. P.
 Smernoff, R. B. (A), 534
 Smith, E. K. See Muehlbaeher, C. A.
 Smith, L. L. (A), 524
 Smith, Nancy. (A), 519
 Snyder, G. G. (A), 522
 Sobel, R. A. (A), 534
 Sode, Jonas. See Cryer, P. E.
 Sodickson, Lester. (A), 521
 Solow, E. B., and Freeman, L. W. Fluorometric ferric chloride method for determining cholesterol in cerebrospinal fluid and serum, 472
 Song, Harriet, Tietz, N. W., and Tan, C. Usefulness of serum lipase, esterase, and amylase estimation in diagnosis of pancreatitis—a comparison, 264
 Spiegel, H. E., and Tonchen, A. E. Semiautomated method for measurement of dopa in plasma, 763
 St. Clair, R. W. (B), 967
 Steciw, B. See Wilkinson, J. H.
 Steige, Harold. (A), 526
 Stein, M. R. See Williams, G. Z.
 Stenhouse, N. S., and Hähnel, R. (SN), 439
 Sterling, R. E. (A), 537
 Sternberg, J. C. (A), 519
 Steuber, Walter. (A), 520
 Stevens, H. M. (SN), 437
 Stoll, Lynn. (A), 535
 Stork, E. J. See Lovelady, H. G.
 Stoskopf, M. M. See Meek, J. C.
 Strickler, H. S. (A), 531, 532
 Stubbins, M. See Rahill, W. J.
 Stull, C. G. (A), 524
 Stull, R. L. (A), 524
 Styliou, M. H. See Fletcher, M. J.
 Suggs, J. E. See Ashby, T. M.
 Sugiura, H. T. See Cohen, E. L.
 Sunderman, F. W., Jr. (A), 529
 —, and Nomoto, Shozo. Measurement of human serum ceruloplasmin by its *p*-phenylenediamine oxidase activity, 903
 —. See Nomoto, Shozo
 Sunderland, M. L. E. See Logan, J. E.
 Sunshine, Irving. (B), 1056
 —. See Bastos, M. L., and Boutwell, J. H.
 Sutter, E., Platman, S. R., and Fieve, R. R. Atomic absorption spectrophotometry of rubidium in biological fluids, 502
 Swallen, T. O. (A), 521

T

Tammes, A. R. (A), 520
 Tan, C. See Song, Harriet
 Tapia, I. K. (A), 525
 Tapia, R. A. See Campanini, R. Z.
 Taylor, A. W. See Russell, J. C.
 Theriakoff, Victor. (B), 876
 Tenney, S. A. See Balson, A. L.
 Thacker, L. H., Pitt, W. W., Jr., Katz, S., and Scott, C. D. Miniature photometers for liquid chromatography (S), 626

Thiers, R. E. (A), 522
 —, Council meeting minutes, 67
 —, Meyn, Jule, and Wildermann, R. F. Use of computer program to correct for sample interaction. Significant adjunct to continuous-flow analysis, 832
 —. See Evenson, M. A.
 Thompson, W. P. (A), 519
 Thyssen, Benjamin. (A), 531
 Tietz, N. W. (A), 522
 —. See Song, Harriet
 Tocci, P. M. (A), 537
 Toivonen, Ilkka. See Koskela, Pentti
 Tonchen, A. E. See Spiegel, H. E.
 Tong, P. P. (A), 522
 Toren, E. C., Jr., Eggert, A. A., Sherry, A. E., and Hicks, G. P. Interface instrumentation between computer and spectrophotometer for reaction rate measurements, 215
 Tougas, Diane. See Russell, J. C.
 Trainer, T. D. See Dain, D. W.
 Traynor, Henry. See O'Malley, J. A.
 Trump, Jacqueline. (A), 534
 Trundle, Diana. See Elswick, W. H., Jr.
 Tsuchikura, Hiroko. See Uete, Tetsuo
 Tsudaka, Tashiko. See Wolf, P. L.
 Turano, P. A. See Turner, W. J.
 Turner, W. J., Turano, P. A., and March, J. E. Quantitative determination of chlorpromazine metabolites in urine, 916
 Tyenda, C. A. (A), 536
 Tyler, F. H. See Jubiz, William

U

Uete, Tetsuo, Asahara, Mineko, and Tsuchikura, Hiroko. Fluorometric determination and activity of trypsin inhibitors in serum, 322
 —, Tsuchikura, Hiroko, and Nino-miya, Kiichi. Fluorometric method for measuring leucine aminopeptidase activity in red blood cells, serum, or tissues, 412
 Ullman, W. W. See Vincent, W. F.
 Uriel, José. (A), 518

V

Vakirtzi-Lemonias, Catherine. See Veniamin, M. P.
 Valenti, Carlo. See Saifer, Abraham
 Van den Hamer, C. J. A. See Eckman, Irving
 Vanderlinde, R. E. (A), 533
 Van Dreal, P. A. (A), 521, 530, 537
 Van Meter, J. C., Buckmaster, H. S., and Shelley, L. L. Concurrent assay of phenobarbital and diphenylhydantoin in plasma by vapor-phase chromatography, 135
 Vavich, J. M., and Howell, R. R. Ultraviolet-absorbing compounds in urine of normal newborns and young children (S), 702
 Veniamin, M. P., and Vakirtzi-Lemonias, Catherine. Chemical basis of carbamido-diacyl micromethod for estimation of urea, citrulline, and carbamyl derivatives, 3
 Vesell, E. S. (A), 518
 Vestergaard, Per. Simultaneous multicolumn liquid/liquid and liquid/solid chromatography with computerized readout system (S), 651
 Vincent, W. F., and Ullman, W. W. (SN), 612

W

Wachter, H., and Sallaberger, G. (L), 618
 Walberg, C. B. (A), 537
 Watkins, Ruth. (A), 529
 Watson, C. J. See Ferrelli, W. V.
 Weiner, L. M. (A), 529, 536
 Weinstock, Albert. (A), 522
 Weissman, S. L. See Herzberg, Mala
 Welch, E. T. (A), 524
 Welsh, Beverley. (A), 536
 Wenger, Julius, and Munro, Miranda. Semiautomated method for serum pepsinogen determination, 207
 Werner, M., Young, D. S., Heilbron, D. C., Dixon, W. J. (L), 809
 Werner, Mario, Montgomery, C. K., Jones, A. L., and Nussenbaum, Siegfried. Phenotyping of lipemias by ultrafiltration and nephelometry of serum lipoproteins, 573
 West, S. S. Microscope, spectra and automated analysis (S), 643
 White, Gary. (A), 521
 White, S. H., Loken, M. R., and Shields, C. E. Rapid quantitative ion-exchange extraction for 2,8-dioxyadenine, 861
 Whitner, V. S. (A), 534
 —. See Witter, R. F.
 Widdowson, G. M. See Neff, G. W.
 Wildermann, R. F. (A), 522
 —. See Thiers, R. E.
 Wilkinson, J. N. Clinical applications of isoenzymes (R), 733
 —. Clinical significance of enzyme activity measurements (R), 882
 —, and Steciw, B. Evaluation of new procedure for measuring serum creatine kinase activity, 370
 Willard, R. E. (A), 519, 522
 Williams, G. Z., Young, D. S., Stein, M. R., and Ciotlove, Ernest. Biological and analytic components of variation in long-term studies of serum constituents in normal subjects. Objectives, subject selection, laboratory procedures, and estimation of analytic deviation (S), 1016
 —. See Ciotlove, Ernest
 Williams, J. H., Kuchmak, M., and Witter, R. F. Evaluation of purity of cholesterol primary standards, 423
 —. See Witter, R. F.
 Williamson, W. R. See Habig, R. L.
 Wilson, A. C. See Rahill, W. J.
 Wilson, D. T. See Sideman, Leonard
 Windisch, R. M., and Bracken, M. M. Cerebrospinal fluid proteins: concentration by membrane ultrafiltration and fractionation by electrophoresis on cellulose acetate, 416
 —, Pax, P. R., and Bracken, M. M. Variation in blood ATP after oral administration of glucose, in individuals diagnosed as normal, equivocal, or diabetic according to glucose tolerance sum principle, 941
 Winkelman, James, Wybenga, D. R., and Ibbott, F. A. Correlation of laboratory tests and clinical evaluation in phenotyping of lipoproteinemias, 594
 Phenotyping of hyperlipoproteinemias. Effect on electrophoretic pattern of serum storage at ambient, refrigerator, or freezing temperatures, 507
 Winn, C. L. (A), 534
 —. See Witter, R. F.
 Winsten, Seymour. (A), 523, 538
 —. See Dalal, F. R.
 Wise, W. M. (B), 358
 —, Kurey, M. J., and Baum, G. Direct potentiometric measurement of potassium in

- blood serum with liquid ion; exchange electrode, 103
Witter, R. F. (A), 534
 —, Kuchmak, M., Williams, J. H., Whitner, V. S., and Winn, C. L. Lipids of commercial serum products offered as controls or "standards" for cholesterol and triglyceride determinations, 743
 —, See Williams, J. H.
Wolf, P. (A), 538
Wolf, P. L., Bloch, Daniel, and Tsudaka, Tashiko. Biochemical profile of amniotic fluid to assess fetal maturity, 843

- , See Nalbandian, R. M.
Wolfman, Lila, and Sachs, B. A. (L), 620
Woodbridge, J. E. (A), 539
Wright, C.-S. (A), 524
Wright, R. K., and Alexander, R. L., Jr. Automated method for measuring creatine phosphokinase activity in serum, 294
Wybenga, D. R., Pileggi, V. J., Dirstine, P. H., and Di Giorgio, J. Direct manual determination of serum total cholesterol with single stable reagent, 980

- , See Winkelman, James
Wyngaarden, J. B. See Kelley W. N.

Y

- Yee, H. Y. (A)** 520
Young, D. S. (A) 527
 —, (B) 875, 968
 —, Effect of chemically defined diet on urinary excretion of minerals and aromatic compounds (S), 681

Z

- Zak, Bennie. (A)**, 529, 536
Zipf, R. E. See Katchman, B. J.

Volume 16

SUBJECTS INDEX

Abbreviations used: (A) abstract; (L) letter; (S) symposium paper; (SN) scientific note; (R) review

A

- Abell-Kendall method**, cholesterol, 743
Abstracts, 22nd National Meeting, AACC, 513
Acetic acid, in plasma, 20
 in CSF, 20
5 - Acetylaminio - 6 - amino - 3 - methyluracil, in urine, 707 (S)
p-Acetylaminohippurate, assay of, in serum, 753
Acetylphenylhydrazine, effect on glutathione, 466
Acetylsalicylic acid, albumin binding of, 539 (A)
 determination of, 539 (A)
Acids, aliphatic keto, gas chromatography of, 536 (A) organic, silicic acid, chromatography of, 20
Acid-base balance of blood, 789
Aciduria, congenital methylmalonic, 20
Acythiocholine esters, in detection of abnormal serum cholinesterases, 540 (A)
Adenine, in urine, 707 (S)
Adenosine diphosphate, 667 relationship between initial ammonia concentration and, 279
ADP, see adenosine diphosphate, 667
Adenylate kinase, effect of CK elimination of, 370
Adrenal hyperplasia, plasma testosterone in, 111
Adults, enzyme turnover in serum of, 71
Albumin, serum, 24
 serum, amino acid composition, 54
 serum, reference standard for, 147
Alcohol, distillation-oxidation procedure, 402

- Alizarin**, use in determining serum calcium, 816
Alkaline phosphatase, 219, 517 (A), 44
 determination, in serum, 431
Alkaptonuria, 687 (S)
Allopurinol, 192
 effect of, on urinary excretion of uv-absorbing compounds, 707 (S)
 ribonucleoside, 707 (S)
Altitude, blood volume changes with increased, 7
Ambervite, adsorption of dehydroepiandrosterone from urine by, 532 (A)
American Association of Clinical Chemists, committees, 152
 local section officers, 873
Ames Award, to Wendell T. Caraway, 726
Amines, primary, secondary, tertiary, and aromatic; detection of, in urine, 931
2 - Amino - 2 - methyl - 1,3 - propanedial, as buffer, 431
Amino acids, analysis of, 54
 in amniotic fluids, changes during pregnancy, 891
 in human amniotic fluid, 891
 screening, for detection of inherited anomalies, 662
 two-dimensional TLC of, 662
Aminocidurias, detection of, 526
p-Aminohippurate, determination of, in serum, 753
Aminohippurate, interference in Lowry method in protein, 512
5-Aminolevulinic acid, as substrate in preparation of porphyrins, 459
 in urine, effect of light on determination of, 612
Aminotransferase, aspartic, 71

- Ammonia**, formation by human erythrocytes and plasma, 277
 in blood, 277
 in serum, relationship of concentration to adenosine deaminase activity, 277
Ammoniemia, 714 (S)
Ammonium sulfate, precipitation of fibrinogen by, 485
Amniocentesis, 756
 in prenatal diagnosis of lipid storage disease, 811 (R)
Amniotic fluid, bilirubin in, 756, 180
 biochemistry of, 524 (A)
 carbohydrate constituents of, 687 (S)
 cation-exchange chromatography of, 891
 unconjugated bilirubin in, 180
 uv-absorbing constituents of, 687 (S)
Amount per organ, as unit of reference, 224
AMP, 667
Amphetamine, 195
 concentration of, in blood, after therapy, 199
 concentration of, in urine, after therapy, 199
 excretion of, after oral doses, 786
 gas-liquid chromatography of, in urine, 786
Amylase, 71
 activity of serum, 911
 automated saccharogenic determination, 985
 activity of, saccharogenic micro-method for measurement, 300
 chromogenic method for, 523 (A)
 diagnosis of pancreatitis by, 264
 inhibitors of, 303
 in serum, 32
 colrimetry of, 523 (A)
 kinetic activity constants for mechanism of action, 32
 pancreatic, kinetic constants for activity, 303
 saccharometric procedure, 32
 serum, inhibitors of, 303

- Amylasemia**, macro-, 911
 hyper-, 911
Amylopectin, as substrate in amylase assay, 911
 dyed, use in amylase assay, 39
Analyses, automated, of microscopic samples, 643 (S)
 of body fluids, 516 (A), 637 (S)
 continuous-flow, 832 (see Automated Analyses)
Analytical systems, high-capacity, high-speed, 651 (S)
 reliability of, 1057
Analyzer, bench-top, for uv-absorbing constituents of body fluids, 657 (S)
 CentrifChem, 530 (A)
 continuous-flow, development and evaluation of, 530 (A)
Androsterone, in urine, 158
Anemia, bilirubin in, 843
 hemolytic, and amniotic fluid, 843
 pernicious, latent, 207
Anesthetics, interference with carbonate determination, 144
Aniline, alkyl derivatives, 520 (A)
 reaction with hexoses, 520 (A)
 reaction with pentose sugars, 520 (A)
Anisaldehyde, as location reagent for urinary carbohydrates after TLC, 954
Anomalous results for enzymes, 882 (R)
Apotransferrin, inhibitor in, 65
Arginosuccinate lyase, in serum, 44
Aromatic compounds, in urine, effect of diet, 681
Arsenic, simplified Gutzeit apparatus for determination, 360 (L)
Arthritis, plasma fibrinogen in, 486

Artificial kidney dialysate,
uv-absorbing components in,
714 (S)

**L-Aspartate : 2-oxoglutarate
aminotransferase**,
assay of, 533 (A)

Aspartic aminotransferases, 71

Aspartase transaminase, 733 (R)

Astrup method,
for blood acid and base, 789

ATB,
in blood, variations after glu-
cose administration, 941

**Atomic absorption spectropho-
tometry**, 229, 139
compared with SMA 12/60, 528
of calcium, in serum, 998
calcium, sodium background
effects in, 234
nickel, 529
rubidium in body fluid, 602
serum calcium, 597
serum iron, 148

ATP, 667

Autism,
uv-absorbing components of
patients with, 714

AutoAnalyzer,
and *p*-acetylaminohippurate in
serum, 753
and multicolumn chromatog-
raphy, 651
and serum amylase assay, 911
and serum calcium, 816
and serum transferrin assay,
558
and serum triiodothyronine, 951
digital concentration analyzer
for, 522 (A)
dual-channel, 522 (A)
for analysis of
amniotic-fluid profile, 843
amylase activity in serum,
urine, 390, 985
activity in urine, 390
creatinine phosphokinase ac-
tivity in serum, 294
metabolic studies with iso-
topes, 633
calcium in serum, 229
dopa in plasma, 763
enzymes, 972
inulin in serum, 753
glucose in serum, 282; micro-
analysis, 285
iron in serum, 495
iron-binding capacity of
serum, 495
lactate in blood, 849
magnesium, 229
serum magnesium, 229
multichannel, comparison with
Autochemist, 531 (A)
output, computer analysis of,
521 (A)
positive identification of sam-
ples, 521 (A)
pump, use in on-line dilutor for
flame photometry, 251
serum pool, as reference for,
147 (SN)
method for MDH activity in
serum, 579
technical characterization of,
606

Autochemist,
compared with AutoAnalyzer,
531 (A)
compared with automated and
manual techniques, 531 (A)

Automated analysis,
discrete, 525 (A)
increased rate, 832
percent interaction, 832

Automated systems, 643 (S)

Automatic blood analyzer, 566,
781

**Average-of-normals method for
quality control**, 129

B

B₁₂ deficiency,
and isoenzymes, 733 (R)

Barbiturates,
chloroform extraction of, from
serum, 318
determination of, in serum, 587

emergency analysis for, in
serum, 540
in urine and plasma, 797 (SN)
interference with diphenylhy-
dantoin and primidone deter-
mination in serum, 107
spectrophotometry of, in serum
318

**Barbiturate-mercury assay com-
plex**, in barbiturate, 797 (SN)

1-Benzylalanine,
used as model for study of
phenylketonuria, 524 (A)

**Benzoyl - L - arginine - naphthyl -
amide**,
as substrate for trypsin, 322

Bicarbonate and base in serum,
566

Bilirubin,
conjugated, 239
conjugated, in serum, 462
diazotization method for, 756
"direct" reaction for, 239
glucuronide, 239
Huang cholesterol reagent in
determination of, 536 (A)
in amniotic fluid, 756, 180, 843
in serum, 809 (L)
in Ducci-Watson modification
of Malloy-Evelyn method for
determination of, 239
in Weber-Schalm method for
determination of, 239
spectrophotometry of, 181
"indirect" reaction for, 239
interference in cholesterol de-
termination, 18
interference with glucose deter-
minations, 85
interference in protein deter-
mination, 24
interference in assay of serum
phosphorus, 776
noninterference of, in measure-
ment of ceruloplasmin, 903
photodegradation of, 525 (A)
total protein ratio, in fluid as an
index to severity of erythro-
blastosis fetalis, 184
unconjugated, 239

Bilirubinometer,
for estimating conjugated and
total bilirubin in serum, 462

Binding parameters, 643 (S)

Bio-Gel P-2,
chromatography of uric acid on,
192

**Biological deviation in clinical
analyses**, 1016, 1022, 1028

Biuret method,
for proteins, 24

Biuret reaction,
and microKjeldahl technique
for sputum protein, 773

Blood,
acid-base in, 789
amines in, 195
ammonia in, 277
concentration, in dog and man,
277
analyzer systems, comparison,
990
assay of xylose in, 749
carbon monoxide in, 896
release of, 525
cells, organic acids in, 20
of diabetics, variations in ATP
in, after oral glucose, 941
extraction of phenylbutazone
from, 437
gases, 986, 789
grouping of, wick system for,
514 (A)
ionic concentrations in, 781
L-lactate in, 849
lipids in, 20
macroglobulins in, 740
movement of enzymes to and
from, 882 (R)
nitrofurantoin in, after therapy,
820
pCO₂ of, 566
pH of, 566
potassium in, 528 (A)
rapid colorimetric determina-
tion of ethanol in, 539 (A)
rubidium in, 602
sodium in, direct potentiomet-
ric determination of, 528 (A)

specimens, pneumatic-tube de-
livery of, 526 (A)
storage, and adenine additive,
861 (SN)

Body fluids,
carbohydrate constituents of,
687 (S)
oxalate content of, 547 (R)
organic acids in, 20
uv-absorbing constituents of,
687 (S), 657 (S)

Body weight,
changes at high altitude, 7

Bomb calorimetry,
preparation of feces for, 253

Book reviews, 154, 358, 546, 732,
807, 875, 967, 1055

Bromide space,
colorimetric measure of, 528 (A)

Buffer gradient device,
for liquid chromatography, 657
(S)

BUN,
automated procedure for, 531
(A)

C

Calcium,
atomic absorption spectroscopy
determination of, accuracy,
527 (A)

automated measurement by
atomic absorption spectro-
photometry, 528 (A)

contamination in Vacutainers,
546 (L)

automated method for, 528 (A)
automated microdetermination
of, 229

determination by AAS, 528, 597
diffusible, 226

in quality-control sera, 15
in serum, 816
photometric determination of,
226

measurement of, by AAS, fac-
tors affecting, comparison
with other AAS/Ca methods,
and microchemical adapta-
tion, 998

measurement of, SMA 12/60
and AAS compared, 528 (A)

NBS standard reference for, 597
ultrafilterable, normal values
for, 226

in urine, as measured by AAS,
528

Cancer screening, 643 (S)

Carbamidodiacyl,
in assay of urea, citrulline, car-
bamyl derivatives; basis of,
3

Carbamyl derivatives,
estimated by carbamidodiacyl-
tyl assay, 3

Carbohydrate,
sensitivity, 362
in urine, 954

anisaldehyde spray, use as
TLC location reagent, 954

Carbonate,
in serum, assay of, 144

Carbon monoxide,
in blood, gas chromatography,
896

in oxygenated blood, 896
release from blood, 525 (A)

Carbon tetrachloride, 633

Carlson method,
for triglycerides, 743

Catabolites,
in urine of mental retardates,
714 (S)

Catalase,
use in amylase assay, 985

Catecholamines, 312
determination of, in urine, 532
(A)

Ce-arsenite reaction,
in determination of serum thy-
roxine, 382

Celiac disease, 749

Celite,
as TLC adsorbent in the identi-
fication of urinary carbohy-
drates, 954

Cells,
sonication of, 792 (SN)

Centrifugation,
preliminary evaluation of, 530
(A)

Centrifugation,
through high-flux ultrafiltration
membranes, 226

Cephalin flocculation test, 44

Cerebrospinal fluid,
analyses of uv-absorbing con-
stituents in, 687 (S)

carbohydrate constituents of,
687 (S)

cholesterol in, 472
diagnostic clues from protein,
lactate, and glucose in, 562

electrophoretic separation and
measurement of proteins in,
537 (A)

glucose in, 519 (A)
protein in, 24
normal values for, 416
ultrafiltration of, 416

Cerebrovascular accidents,
diagnosis, 562

Cerebrovascular disease,
prognostic aid in, 562

Ceruloplasmin,
inhibitor of, 65
in serum, assay by *p*-phenyl-
enediamine oxidase activity
of, 903

in serum, effect of fractures on,
853

in serum, lack of interference
by bilirubin or Hb in measure-
ment of, 903

in serum, concentration of, and
Wilson's disease, 903

**Chelate of Cu(II) with 2,2'-bicin-
choninate**,
use in automated determina-
tion of uric acid, 536 (A)

Chemists,
clinical, research by, in U.S.,
877 (R)

Chicken erythrocyte enzymes,
use in preparation of labeled
porphyrins, 459

Chi-square test,
use in evaluating constancy of
data, 124

Chloride,
in body fluids, 781
in quality control sera, 15
in serum, 124

inhibition of ceruloplasmin
assay by, 903

Chlorpromazine,
metabolites, urinary excretion
of, 916

Cholecystitis, 44

Cholesterol,
analogs of, 423
by Abell-Kendall method, 743
determination of, 472

in cerebrospinal fluid, 472
in commercial control sera, 743
in serum, method for, 18, 980

interference by bilirubin, Hb,
 γ -globulin, 980

interference of drugs and
hemoglobin in determination
of, 472

normal values for, 472
purity of primary standards, 423
spectrophotometry of bilirubin
reacted with Huang reagent,
536 (A)

standardization of measure-
ment, 534 (A)

total and free, 44
with triglycerides, in phenotyp-
ing of hyperlipoproteinemias,
573

Cholinesterase,
atypical, method for detection
of, 503

Chromatography,
adsorption, 197
anion-exchange, of oxipurinol,
707 (S)

of body fluids, 687 (S)
of uv-absorbing and carbohy-
drate constituents, 687 (S)

of uv-absorbing compounds
in urine, 707 (S)

of uv-absorbing constituents
of body fluids, 657 (S)

column
of cystine in urine, 366
of 5-hydroxyindoleacetic acid,
535

of Mg from red cells, 269
of serum lipids, 534 (A)

of serum thyroxine, 382
of urinary constituents, 681 (S)
of uv-absorbing compounds in urine, 702 (S)
of urinary carbohydrates, results compared with TLC, 954
peak resolution in, 637 (S)
serum lipid profile by, 534 (A)
cation-exchange,
of amino acids in amniotic fluid, 891
of dopa in plasma, 763
gas-liquid,
carbon monoxide in blood, 896
of certain chemicals of clinical importance, 520 (A)
of urinary aliphatic keto acids, 536 (A)
of urinary carbohydrates, 722 (S)
in fast serum barbiturate assay, 587
in fast serum glutethimide assay, 587
in recovery of ethanol from body fluids, 402
of amphetamines, in urine, 786
of cholesterol, 743
of cholesterol primary standards, 423
of triglyceride "standards," 743
gel,
amylase activity and, 911
of indocyanine-labeled serum protein, 1008
high-speed, of nucleic acid components and urine, 667 (S)
ion-exchange,
of uv-absorbing components urine, 714 (S)
high-pressure, 517 (A)
liquid,
miniature photometers for, 626
of nucleic acid components, 667 (S)
separation of components of urine by, 667 (S)
use of quartz cells in, 626 (S)
uv-range, 626 (S)
multicolumn,
of complex biological samples, 651 (S)
of amino acids, 537
of body fluids, 517 (A)
of sugars, 537 (A)
resolving and measuring peaks in, by computer, 637 (S)
Sephadex, of thyroxine, 526, See also sephadex
silicic acid,
of plasma vitamin A, 766
of serum organic acids, 697 (S)
simultaneous multicolumn liquid/liquid and liquid/solid, 651 (S)
thin-layer,
desalting of urine on, 662 (S)
developing system, for amino acids, 662 (S)
of cholesterol "standards," 743
of cholesterol primary standards, 423
of drugs in urine, 931
of isovaleryl glycine, 420
of minerals and aromatic compounds in urine, p. 681
of sugars, 10 systems compared, 954
of urinary carbohydrates, 954
of urine, 526 (A)
partition, 239
Chylomicron band,
measurement of, 620 (L)
Cibachron Blue,
amylose substrate, 32
Cirrhosis, 44
Citrulline,
estimate by carbamidodiacetyl assay, 3
Citrullinemia,
and orotic acid excretion, 714
Clinical Chemist, The, 66, 151, 254, 355, 447, 542, 615, 726, 801, 869, 1052
Clinical technology,
new developments in, 514 (A)
Collagen metabolism,
and urinary hydroxyproline, 853
Colorimetry, see also Spectrophotometry, 210
of conjugated estrogens in pregnancy urine, 824
of ethanol in blood, 539 (A)
of ethchlorvynol in biological fluids, 540 (A)
of glucose, 427
of plasma vitamin A, comparison, 766
of pseudocholinesterase in serum 540 (A)
of serum ceruloplasmin, 903
Competitive protein binding assay,
for testosterone, 111
Complexes,
of acridine orange and cells, 643 (S)
Computer,
analysis of data, 520 (A)
automated data collection in, 521 (A)
desk-top digital, 305
IBM, clinical laboratory management system, 521 (A)
laboratory-request input to, 521 (A)
on-line,
in clinical laboratory, 520 (A)
in resolving and measuring chromatographic peaks, 637 (S)
quality control program for, 305
reaction rate measurement by, 305
system for use with GeMSAEC, 515 (A)
use,
in correcting for sample interaction, 832
in estimating proteins in serum, 760
with multicolumn chromatography, 651 (S)
Continuous-flow analysis,
improved precision and sensitivity in, 606
interaction in, 522 (A)
"noise" in, 606
sample interaction in, 606
sampling-cam variations, 619 (L)
time-based computer programs in, 606
timing errors in, 606
Copper,
in serum, 903
Coproporphyrins,
preparation of labeled, 459
Coronary artery disease, 118
Corrections, 1033
Correlation,
serum triglycerides and SGPT, 118
Corticosteroids,
17-hydroxy, in urine, and abnormal response to metyrapone, 352
CPK,
See Creatine phosphokinase, 44
Creatine kinases, 71
in serum, reagent tablet for measurement of, 370
Creatine phosphokinase,
in serum, automated vs. manual method for, 294
in urine, 714 (S)
in urine, specificity of accepted procedures for, 536 (A)
normal range for activity of, in serum, 258
Creatinine,
and estrogen, ratio in urine, 97
in urine,
as index to completeness of specimen, 1012
relation to urinary 17-OH-corticoids, 1012
variability, day-to-day, 1012
nomogram for calculating clearance of, 440
reliability of, as excretion index, 702 (S)
sedative properties of, 714
ultrafilterable, in serum, 280

CSF, See Cerebrospinal fluid
Cu(1)-2,2'-bincinchoninate chelate,
use in determination of glucose, 519 (A)
Cystinuria,
detection of, 366
Cytochemistry, 643 (S)

D

Data,
basis of expression of, 222
processing, principles of clinical, 520 (A)
Decanoic acid,
recovery of, from feces, 408
Dehydroepiandrosterone,
in urine, 158
Dehydroepiandrosterone sulfate,
absorption from urine by Amberlite, 532 (A)
Densitometry,
of CSF protein, 416
of serum globulins, 925
of serum lipoproteins, 362
Deoxynucleotides,
separation of, 667 (S)
Determinations,
parallel, analyzers for, 514 (A)
Dextran,
effect on α -toluidine method for glucose, 618 (L)
Dextran sulfate-lipoprotein complex, 18
Dextrin,
hydrolysis of, by amylase in urine and serum, 390
Diabetes,
plasma fibrinogen in, 486
Diabetic acidosis,
methylmalonic acid excretion in, 20
Diabetics,
ATP in blood of, 941
Diagnosis,
using "packaged" blood analyzers, 990
Diagnostest,
evaluation, 990
 α -Dianisidine,
used in determination of blood glucose, 427
Diazepam,
concentrations in serum, 177
gas-liquid chromatography of, 177
Dibucaine,
inhibition of butyrylcholine hydrolysis by, 503
Number, 503
Dicarboxylic acids,
in urine, 212
Diet,
effects on excretion of uv-absorbing compounds by newborns and young children, 702 (S)
effect on urinary constituents, 681
17,21-Dihydroxy-20-ketosteroids,
automated colorimetry of, in urine, 531 (A)
Dihydroxyphenylalanine,
in plasma, 763
1,2-Dihydroxyanthraquinone,
reagent for serum calcium, 816
Dilutor, 251
DNA content,
as unit of reference, 224
Dinitrosalicylic acid,
method for amylase, compared with automated method, 911
Dinucleotides,
separation of, 667 (S)
2,8-Dioxadenine,
determination in body fluids, tissue extracts, 861 (SN)
Diphenylhydantoin,
assay in plasma by GLC, 135
in serum, 107
5,5-Diphenylhydantoin,
reaction with sodium hypobromite, 539 (A)
Disease,
metabolic, prenatal diagnosis of, 891
Dithizone,
use in barbiturate analysis, 797 (SN)
Dopa,
excretion in Parkinson's disease during therapy with, 535 (A)
fluorometry of, in plasma, 763
in plasma, cation-exchange chromatography of, 763
screening test for, in urine, 535 (A)
Dopamine,
binding by hemoglobin and Cohn fraction IV, 312
distribution coefficients for between human blood cells and plasma, 312
permeability into red cell, 312
transport by hemoglobin, 312
Double-antibody techniques,
for assay of growth hormone, 885
Drugs,
effects on clinical laboratory determinations, 513 (A)
effects on the fetus and neonate, 515 (A)
misuse of, detection, 931
toxic effects of, 513 (A)
detection in urine, 931
uv-absorbing, in urine, and carbohydrate constituents, 687 (S)
Dry-weight,
as unit of reference, 223

E

Editorials, 1, 261, 877, 971
EDTA,
as stabilizer, in sputum protein assay, 773
titration of Mg in red cells, 269
Electrodes,
ion-selective, for Na^+ , K^+ , Cl^- measurement, 781
liquid ion-exchange, in potassium determination, 103
Electron,
binding and energy shifts, 677 (S)
microscopy, of lipoproteins, 573
Electrophoresis,
acrylamide gel, 537 (A)
cellulose acetate,
in phenotyping of hyperlipoproteinemias, 507, 594
of serum haptoglobin and macroglobulin, 925
of serum lipids, 534 (A)
of serum lipoproteins, 362, 507
of serum proteins, 760
of serum proteins, computerized calculation of, 760
CSF fractionation by, 418
disc, use in separation of lipoproteins, 620
globulin, estimated by, 24
moving boundary, of urea-insulin reaction products, 291
of proteins, 853
paper, use in assay amylase activity, 911
polyacrylamide gel, lipoproteins 534 (A)
separation of serum alkaline phosphatase isoenzymes on agarose, 538 (A)
ELLA system, 219
Elution times,
for organic acids, 20
Emergency determinations,
of diphenylhydantoin and primidone in serum 107
Endocrine abnormalities, 111
"Enza-trol,"
as enzyme reference material, 579
Enzymes (see specific one)
activity of, determination, 522 (A)
automation of assay, 522 (A)
biological half-lives of, 71
glycogen-cycle, assay for, in muscle, 900
heterogeneity of, 733 (R)

in beef heart, 533 (A)
inhibitors in blood, effect on ammonia formation, 279
inhibitors, origin of, 277
kinetic assay of, 522 (A), 972
organ and tissue specificities, 882 (R)
"profile", 71
quality control, in clinical assay of, 516 (A)
of determinations of, 500
reaction-rate measurement with Kintac VIII, 522 (A)
release into and removal from blood, 882 (R)
standardization of, for use in clinical assay, 516 (A)
turnover of, 71

Enzymology, diagnostic, 882 (R)

Epitestosterone, in urine, 531 (A)

Ergothioneine, in urine of newborns and children, 702 (S)

Errata, see Corrections

Erythroblastosis fetalis, total bilirubin/protein, in amniotic fluid, as severity index, 184

Erythrocytes, colorimetry of NADPH-linked glutathione reductase in, 525 (A)
a colorimetry of reduced glutathione in, 525 (A)
sedimentation rate of, effect of ultraviolet irradiation, 526 (A)

Eskalab, criticism of SGOT by, 1057 (L)

Esterase, diagnosis of pancreatitis in, 264

Estriol, 235
urinary assay for, 532 (A)

Estrogen, and creatinine, ratio in urine, 97
conjugated, glucose effects on assay of, 824
excretion in urine of diabetic pregnant women, 237
excretion in pregnancy urine, 97 in urine, 236
in urine, fluctuations of during pregnancy and menstruation, 824
optimum isolation of, 824
rapid assay for, 824
total excretion per day, 439
total urinary, 235

Ethanol, determination in blood, 539 (A)
measurement of, in body fluids, 402
yeast alcohol dehydrogenase used in estimation of, in body fluids, 402

Ethanolamine, as buffer, 431

Ethchlorvynol, colorimetric method for, 540 (A)

Evaporator, multistation, modification of, 621 (L)

Extended automated hydrolysis, 573

F

Fabry's disease, prenatal diagnosis, 811 (R)

Family study of atypical cholinesterase, 503

Fat-free tissue, as unit of reference, 223

Fatty acids, determination by electrical capacitance, 408
fecal, determination of, 408

Fatty liver, 118

Ferric perchlorate-ethyl acetate, as cholesterol reagent, 980

Fe(II)-5-pyridyl benzodiazepin-2-ones, analytical applications of, 519 (A)
use in automated determination of serum iron and iron-binding capacity, 495

Feces, lipids in, 339

preparation for bomb calorimetry, 253

Ferricyanide, as electron acceptor, in lactate assay, 849
neutral, conversion of oxyhemoglobin to methemoglobin by, 896
oxidant, use in measurement of dopa in plasma, 763

Ferroxidase activity, inhibitor of, 65

Fetus, assessment of maturity of, 843
viability in complicated pregnancies, 235

Fibrin, conversion of fibrinogen to, 486

Fibrinogen, plasma, in health and disease, 538 (A), 486

Filter-Cel, as TLC adsorbent for urinary sugars, 954

Fisher Award, to William B. Mason, 726

Flame photometry, 251
compared with electrode measurement of Na, K, 566
of Li, revision, 618

Fluid, amniotic, alkaline phosphatase in, 843
bilirubin in, 843
biochemical profile of, 843
uric acid in, 843
body, potassium in, 781
sodium in, 781

Fluorometry, 209, 312
of amide, 322
of cholesterol, in cerebrospinal fluid and serum, 472
of conjugated estrogens in pregnancy urine, 824
of dopa, in plasma, 763
of LDH, optimization and intermethod comparison, 972
of leucine aminopeptidase activity, 412
of malate dehydrogenase in serum, 579
of plasma vitamin A, 535 (A), 766
of trypsin inhibitors, 322

Folic acid, degradation in tissues, 375
excretion rate of, 375
excretion, in relation to intake, 375
nature of activity of, 375
normal values of, in children, 375
urinary excretion of, 375

Food, oxalate content of, 547 (R)

Fructose, as standard for inulin assay in serum, 753

G

Gas chromatography, hydrogen-flame ionization detector in, 195
of organic acids, 213
retention time of drugs in, 179

Gas-liquid chromatography, of diphenylhydantoin, primed, 107

Gastritis, asymptomatic atrophic, 207

Gaussian distributions, of clinical data, 809 (L)
normal values, overlapping, 124

Gel chromatography, fractionation of human urine by, 201

Gel filtration, 39
thin-layer, in assay of serum macroglobulins, 740

GeMSAEC, small computer system, 515 (A)
See Gas chromatography

Globulin, photometry of, in serum, 537 (A)

γ -Globulin, assay of, 925

α -Glucan phosphorylase, rapid assay for, 900

Glucose

aqueous α -toluidine reagent for, 520 (A)
assay using hexokinase, 519 (A)
automated determination, using Cu(1)-2,2'-bichinchoninate chelate, 519 (A)
automated micromethod for, 290
Beckman Analyzer for, 519 (A)
in blood, determination of, 427
CSF, 519 (A)
and bilirubin, 284
effect of age and sex on, 562
effect on blood ATP, after oral administration to normal and diabetic persons, 941
determination of, effect of hemoglobin, 284
determination of, effect of protein, 284
interference with urinary estrogen assay, 824
oxidase, use in estimating serum glucose, 85
oxidase-peroxidase method for blood glucose, criticism, 1058 (L)
production, in serum of patients with gastrointestinal diseases, 304
in serum, 519 (A), 85
determination using Fe (II)-5-pyridyl benzodiazepin-2-ones, 519 (A)
determination of, with α -toluidine
thio-NADP in the enzymatic procedure for, 520 (A)
tolerance sum principal, 941
ultrafilterable, in serum, 280
in urine, 519 (A)
use in amylase assay, 985

Glucose-6-phosphate dehydrogenase reaction, in measurement of serum activity, 370
use in serum glucose assay, 519 (A)

"Glucostat", 85

β -Glucuronidase, 235
in canine kidney, liver, lung, and serum, 536 (A)

Glutamic-oxalacetic transaminase, 118

Glutathione, colorimetry of, in erythrocytes, 525 (A)
determination of, 539 (A)
determination in serum, 587
in plasma, 525 (A)
in serum, emergency analysis for, 540 (A)
interference by, in extraction of, from blood and plasma, 437
interference with diphenylhydantoin, 107
loss from hemoglobin solutions, 466
loss from serum, 466
reductase, in erythrocytes, 525 (A)
spectrophotometry, in serum, 318

Glutathimide, chloroform extraction from serum, 318

Glycerol, gluconeogenesis from, 633 (S)

Glycine, synthesis of N-derivatives of, 420
used to precipitate fibrinogen, 486

Glycogen, shellfish, as substrate in amylase assay, 911
synthesis of, 900
synthetase, rapid assay for, 900

Glycolurils, as chromogens, 3

Gout, 687 (S)

Group-specific reagents, use in TLC, 931

Growth hormone, radiolabeled, 845

Gut flora, effect of, on urinary constituents, 681 (S)

H

Half-wash time, 390, 832

Hallucinogen, assay, in urine, 786

Haptoglobin, in serum, assay, 925
effect of fractures on, 853

Hb, see Hemoglobin

Heart failure, congestive, 44

Hemagglutination, wick system for study of, 514 (A)

Hematologic disease, 466

Hemoglobin, acidified, as substrate for pepsinogen, 207
C (Harlem), 945
concentration, changes at high altitude, 7
influence on bilirubin assay in amniotic fluid, 756
interference, with cholesterol determination, 472
with glucose determination, 85
with serum protein determination, 24
loss of glutathione from solutions of, 466
measurement of, by bilirubinometer, 462
S, Murayama test for, 945
S, molecular basis of test for, 945
noninterference by, in measurement of ceruloplasmin, 903
typing, 945
zeta chain of, 523 (A)

Hemolytic disease, 756, 524 (A)

Hepatitis, 44, 1008

Hepatoma, 44

Heritable metabolic disease, detection, 811 (R)

Hexokinase, reaction, in measurement of serum CK, 370
use in assay of glucose, 519 (A)

Hexoses, reaction of aniline with, 520 (A)

High-fat diet, effect on plasma triglycerides and glutamic-pyruvic transaminase, 118

Hippuric acid, 420
excretion by newborns and children, 702 (S)

Hirsutism, plasma testosterone in, 111

Histidine, and metabolites, in urine, 58

Histidinemia, urinary histidine metabolites in, 58

Hodgkin's disease, 44

Homeostasis, aberrant, estimation of, 792

Homogenizer, tissue, 60

Hormone, growth, radioimmunoassay for, 845

Hormones, immunoassay, 513 (A)

Human urine, anion-exchange chromatography of, 205

Hydrazides, detection, in urine, 931

Hydrogenases, lactic, 71

Hydroxy acids, urinary, 212

α -Hydroxybutyrate dehydrogenase test, and myocardial infarction, 733 (R)

5-Hydroxyindoleacetic acid, automated determination of, 535 (A)

Hydroxyproline, in urine, after fractures, 853

17-Hydroxysteroids, and urinary creatinine, 1012
in urine, 274

Hyperamylasemia, amylase assay in serum of patients with, 911

Hypercalcemia,
and hyperparathyroidism, 792

Hyperglycemia,
methylmalonic acid excretion
in, 20

Hyperglyceridemia,
serum lipoproteins in, 362

Hyperlipidemia,
primary and secondary, 362

Hyperparathyroidism,
diagnosis of, 792

Hyperthyroidism,
assessment of, 922
enzyme turnover in, 71

Hypoxanthine, 192
urinary excretion, by newborns
and children, 702 (S)

Hypothyroidism,
assessment of, 922
enzyme turnover in, 71

I

Imidazoles,
in urine, 58

Immunoassay,
of hormones, 513 (A)

Immunodiffusion,
of serum globulins, 925

Immunoelectrophoresis,
of enzymes, 518 (A)

Immunoglobulins,
normal and pathologic, mea-
surement and characteriza-
tion, 516 (A)

Immunoglobulin "G,"
in CSF of patients with demy-
elinating muscle disease, 538
(A)

Immunology,
principles of reactions in, 517
(A)

Indocyanine green,
as serum protein label, 1008

Indoles,
detection, in urine, 931, 681 (S)

Infants,
serum total and conjugated bi-
lirubin, 462

Infrared method,
for serum carbonate, 144

Inherited metabolic disease, 420

Insulin-urea complexes, 291

Intestine,
fat absorption from, 408

Intracranial hemorrhage,
diagnosis of, 562

Inulin,
assay, in serum, 753

Iodine,
protein-bound, 951

Ion activities,
in serum, as diagnostic tool, 566

Ion radical,
of phenothiazines, formed in
 $H_2SO_4-Fe^{+3}$, 916

Ion-specific electrodes,
for oxalate, 547 (R)

Iron-binding capacity,
of serum, estimation, 92, 148
transferrin and, 558

Iron,
separation from and detection
of, 270
in serum,
chelation of, 495
estimation of, 92
urinary, 148

Irradiation,
uv, effects on plasma vitamin
A, 766

Isoenzymes,
clinical applications of, 733 (R)
of serum alkaline phosphatase,
electrophoretic separation on
agarose, 538, (A)

Isotopes,
use in metabolic studies, 633
(S)

Isovaleric acidemia, 420

Isovalerylglycine,
detection of, 420
in urine of patients with iso-
valeric acidemia, 420

Isozymes,
biological significance, 518 (A)
clinical application, 733 (R)

Ittrich procedure,
for assay of estrogens in urine,
842

J

Jendrassik-Grof,
method for total and conju-
gated bilirubin in serum, 462

K

K, see also Potassium
effect on serum lithium deter-
minations, 840

Keto acid,
in urine, 212

Ketosis,
methylmalonic acid excretion
in, 20

17-Ketosteroids,
conjugates of, 532 (A)
sulfates of,
Allen-crimegen develop-
ment, 158
colorimetry, 158
gas-liquid chromatography,
158
hydrolysis, 158
in urine, 158
solvolysis with ethyl acetate-
sulfuric acid, 158
solvolysis with tetrahydro-
furan-perchloric acid, 158
Zimmerman chromogen de-
velopment, 158

Kinases,
creatine, 71

Klinefelter's syndrome,
plasma testosterone in, 111

Kober-positive steroids,
in urine, 235

Krabbe's disease,
prenatal diagnosis, 811 (R)

L

LABCOM system, 215
in automated analysis, 832

Laboratory performance,
evaluation of, 532 (A)

Lactate,
blood,
automated method for, 849
stabilization of, 849
concentrations in CSF, 562
effects of age and sex on, 562
NAD oxidoreductase, evalua-
tion program for, 533 (A)

Lactic acid,
in plasma and CSF, 20

Lactic dehydrogenase, 71, 118, 219
automated measurement, 530
(A), 972
colorimetry of, 254
in serum during disease, 44
isoenzymes, 733 (R)
muscle and yeast, use in lactic
acid assay in blood 849

Latex particles,
use as size indices, 573

L. casei,
in assay of folic acid, 375

LDH, see Lactic dehydrogenase

Leucine aminopeptidase,
activity of in tissues, red cells,
and serum, 412
changes in activity of, during
disease, 412
L-leucyl- β -naphthylamide in
measurement of, 412
 β -naphthylamine in mea-
surement of, 412

L-Leucyl- β -naphthylamide,
use in measuring leucine amino
peptidase, 412

Leukemia,
and leukocyte phosphatase ac-
tivity, 798 (SN)

Leukocytes,
acid phosphatase activity of,
798 (SN)

LINC system,
in automated analysis, 215, 832

Lipids,
abnormalities, in patients with
coronary artery disease, 535
(A)
fecal, determination, 408
in blood and feces, reagent for
extraction and measuring,
339
in commercial sera, use as con-
trol, 743
in storage diseases, 811 (R)

thin-layer chromatography of,
blood and feces, 339

Lipoproteins,
disc electrophoresis of, 620 (L)
electron microscopy of, 573
electrophoresis of, on poly-
acrylamide gel, 534 (A)
in serum, 740
denaturation on storage, 507
separation by electrophoresis
on cellulose acetate, 362
phenotyping of, by polyacryl-
amide gel electrophoresis,
534 (A)
ultrafiltration of, 573

Lipoproteinemias,
cholesterol determination and,
594
correlation: lab tests and
clinical evaluation, 594
triglyceride determination and,
594

Liquid scintillation counting,
sample preparation, 60

Lithium,
automated measurement by
AAS, 528 (A)
in serum, 840
assay by AAS, 139, 528 (A)
comparison of determination
by flame photometry, and
AAS, 840
in urine, as measured by AAS,
528 (A)
in therapy of affective dis-
orders, 840

Liver disease,
and enzyme assays, 882 (R)
and isoenzymes, 733 (R)
parenchymal, diagnosis, 44

Luteinizing hormone,
immunoassay of, in women and
men, 532 (A)

Lysine,
in serum albumin during ar-
thritis, 54

M

α -Macroglobulin,
assay, 925
variation with age, 740

Magnesium,
automated measurement of, by
AAS, 528 (A)
automated microdetermination
of, 229
effect on alkaline phosphatase
in determination of, 431
in serum and urine, as mea-
sured by AAS, 528 (A)

Malabsorption, 749

Malate dehydrogenase,
kits for uv determination of, 579

Malignant disease,
and isoenzymes, 733 (R)
evidence for, 527 (A)
macroglobulins in sera of pa-
tients with, 740

Malloy-Evelyn method,
Ducci-Watson modification of,
239
for bilirubin in amniotic fluid,
756
for total and conjugated bilir-
ubin in serum, 462

Maple syrup urine disease, 214,
687

Mass spectrometry,
use in mass-screening analysis,
613 (S)

Mechanism of effect of glucose,
in serum on ATP, 941

Membrane ultrafiltration,
procedure, 226

Mental retardates,
uv-absorbing components in
urine of, 714

Mercury pollution,
by hospital laboratories, 1058 (L)

Methyl orange,
as secondary bilirubin stan-
dard, 462

Metabolism,
collagen, in scorbutic guinea
pig, 538 (A)
inborn errors of, 212
prenatal detection of inborn
errors of, 524 (A)
studied by chromatography of
681 (S)

uniform dietary conditions for
study of, 527 (A)

Metachromatic leukodystrophy,
prenatal diagnosis, 811 (R)

Methamphetamine,
concentration of, in blood and
urine, after therapy with, 199
determination of, 195

Methemoglobin,
from oxyhemoglobin, with neu-
tral ferricyanide, 896
interference with bilirubin assay
in amniotic fluids, 756

"Methylene units,"
for differentiating chromato-
graphed compounds, 722 (S)

Methylisobutyl ketone,
as extractant for Ni, 477

Methylmalonate,
in body fluids, blood cells, 20

Megaloblastic anemia,
and isoenzymes, 733 (R)

Methylmalonic acidemia,
organic acids in body fluids, 20

Metryapone test,
of pituitary-adrenal system,
misinterpretation of, 352

Microanalysis,
immunological, of serum trans-
ferrin, 558

MicroKjeldahl,
technique and biuret method
for sputum protein, 773

Microscope,
use in analysis, 643 (S)

Microspectrofluorophotometer,
643 (S)

Microspectropolarimetry, 643,
(S)

Minerals,
in urine, effect of diet, 681

Molecular probes, 643 (S)

**Molecular weight-chromato-
graphic elution**,
relationships, 722 (S)

Monocarboxylic acids,
column chromatography of, 697
(S)

Mononucleosis,
infectious, 44

Murayama test,
for S hemoglobin, 945

Muscle,
assay of glycogen-cycle en-
zymes in, 900

Muscular dystrophy,
and isoenzymes, 733 (R)

Myelin,
fractions from density differ-
ential interfaces, 171
gravimetric measurement of,
171

Myelin,
separation from nerve tissue,
171

Myeloma proteins, 760

Myocardial infarction,
and enzyme assay, 733 (R), 882
(R)
serum nickel in diagnosis of, 477

Myxedema, 186

N

Na,
effect of, on serum lithium
determinations, 840

NAD,
lactic dehydrogenase inhibitors
in, 254
use in MDH determination, 579

β -Naphthylamine,
use in measurement of
leucine aminopeptidase, 412

1,2-Naphthoquinone-4-sulfonate,
use in determination of urinary
cystine, 366

National Meeting, AACC,
summary, 801
symposia report, 864

**N-methyl-2-pyridone 5-car-
boxamide**,
in urine, 714 (S)

Neonate,
effect of drugs on, 515 (A)
enzyme turnover in, 71

Nephelometry,
of serum lipoproteins, 573

Nephritis,
hereditary, 687 (S)

Neurologic disease,
diagnosis of, 562

Neuropathology,
CFS cholesterol in, 472

NH-heterocyclics,
detection in urine, 931

Nickel,
chelation and assay of, 477
in urine and serum, 477
measured in biological materials by AAS, 477, 529 (A)

Nickel carbonyl,
as an industrial hazard, 477

Nickel pyrrolidine dithiocarbamate complex, 477

Niemann-Pick disease,
prenatal diagnosis, 811 (R)

Nitrofurantoin,
determination in urine, 335
estimation in blood, 820
in blood, after oral dose, 820

Nitrogen,
nonprotein, in sputum, 773

Nitromethane-Hyamline,
method for nitrofurantoin in blood, 820

p-Nitrophenolphosphate method for serum phosphatase, 776

Nomogram,
for calculation of colorimetric results, 350
for calculation of urea clearance, 347

Normal activity,
of glycogen-cycle enzymes in muscle, 900

Normal ranges,
calculation of, 124

Normal subjects,
long-term measurement of serum constituents, 1016, 1022, 1028

Normal values, for
amino acids in amniotic fluid, 891
amylase activity in serum and urine, 390, 985
argininosuccinate lyase, 44
calcium in serum, 998
cystine in urine, 375
folic acid in adults and children, 375
haptoglobin, 925
glucose in CSF, 562
lactate in CSF, 562
 α_2 -macroglobulin, 925
macroglobulins in sera of children and adults, 740
magnesium, in red cells, 269
malate dehydrogenase, in serum, 579
protein in CSF, 24, 562
rubidium in body fluids, 602
serum ceruloplasmin, 903
serum cholesterol, 903
serum CK, 370
serum mucoprotein, 24
testosterone in plasma, 111
uv-absorbing compounds in urine, 707 (S), 714 (S)

Nucleic acids,
analysis by electron spectroscopy, 677 (S)
separation of components of by liquid chromatography, 667 (S)

O

Oak Ridge Symposium, 623-725
Editor's Note, 625 (S)
Introduction, 623 (S)
Welcome, 624 (S)

Obituaries,
Cotlove, E., 870
Katchman, B. J., 616

Octanoic acid,
recovery of, from feces, 408

Optical rotatory dispersion, 643 (S)

Organ panels, 527 (A)

Organic acids,
column chromatography of, 20
determination by GLC, 212
in blood cells, biological fluids, 20
in serum, 697

Organic aciduria,
pathological, GLC of, 212

Orotic acid,
and citrullinemia, 714 (S)
urinary, 707 (S)

Orotidine,
in urine, 707 (S)

Oxalate,
in body fluids, (R), 547
in food, 547 (R)
in urine,
diurnal variation in, 547 (R)
effect of diet on, 547 (R)
in urinary calculi, 547 (R)
metabolism of, 547 (R)

Oxalate decarboxylase,
use in oxalate determination, 547 (R)

Oxalic acid,
analysis for, in biological materials, 547 (R)
properties of, 547 (R)

Oxidants,
for release of CO from blood, 896

Oxidase,
p-phenylenediamine, in serum, 803

Oxipurinol,
effect of, on urinary excretion of uv-absorbing compounds, 707 (S)

Oxyhemoglobin,
conversion to methemoglobin by neutral ferricyanide, 896

Oxypurinol, 191

P

"Packaged" analytical systems, 990

Pancreatitis,
serum lipase, esterase, and amylase activity in the diagnosis of, 264

Parathyroid,
autonomy of, 792

Parkinson's disease,
excretion of dopa metabolites after dopa therapy of, 535 (A)

Pauly's reagent, 58

PBI, see Iodine, protein-bound

Peak envelope analysis, 637 (S)

"Peak-picking", 606

"Peak-stripping",
procedure for, 637

Pentoses,
in serum, measurement of, 85
reaction of aniline with, 520 (R)

Pepsinogen,
AutoAnalyzer, 207
determination of, as indirect test of gastric function, 207
fluorometric measurement of, in body fluids, 207

Peptides,
of tyrosine and tyrosyl coupled to 1-nitroso-2-naphthol, 207
tyrosine-containing, 207

Perinuclear anemia,
methylmalonic acid excretion in, 20

Phenazopyridine hydrochloride, 335

Phenethylamines, 195
and related compounds, retention time in, 195
as GLC internal standard, 786

Phenobarbital,
assay in plasma by GLC, 135

Phenol,
specificity of, as reagent for protein, 512

Phenolic amines,
in urine, 621 (S)

Phenothiazines,
detection of, in urine, 931

Phenylbutazone,
extraction from blood and plasma, 437

Phenylalanine,
in serum albumin during arthritis, 54

Phenylketonuria,
use of L-benzylalanine as a model for the study of, 524 (A)

Phosphatase,
acid, 71, 776
and alkaline activity of, in leukocytes, 798 (SN)
alkaline, 71, 776,
in amniotic fluid, 843
in serum, automated determination of, 523 (A)
assay, in urine, 776
serum inorganic, p-nitrophenolphosphate method for, 776

stability of activity of, in commercial control serum, 521 (A)

Phosphohexose isomerase,
as evidence of malignant disease, 527 (A)

Phosphorus,
in serum, assay, 776
bilirubin interference with, 776
in urine, of an infant, 776
serum inorganic, micromethod for, 776

Photometry,
flame, of serum lithium, 840
of globulin in serum, 537 (A)
reference standard for, 47

Photometers,
miniature, for use with liquid chromatography, 626 (S)
operational test and comparison of, 626 (S)

Phytofluens,
interference with plasma vitamin A assay, 766

Pipet,
mechanized, for ultramicrochemical systems, 540 (A)

Placental barrier, 412

Plasma, see also Serum, 766, 602
barbiturates in, 797 (SN)
clottable protein in, 486
colorimetry of NADPH-linked glutathione reductase in, 525
dialysate, uv-absorbing compounds in, 714 (S)
dihydroxyphenylalanine in, 763
2,8-dioxadenine in, 861 (SN)
extraction of, 763
extraction of phenylbutazone from, 437
fibrinogen,
determination of, 486
in arthritis, 486
in blood-clotting disease, 486
in diabetes, 486
fluctuations in, 486
intra-individual constancy of, 486
in liver disease, 486
normal values for, 486
pregnancy, 486
vascular disease, 486
of nonpregnant women, progesterone in, 856
organic acids in, 20
protein concentration, changes with altitude, 7
testosterone in, 111
triglycerides in, 534 (A)
vitamin A in, 535 (A)
fluorometry of, 766
volume, changes with altitude, 7

Poisoning,
suicidal and accidental, determination of drugs used in, in, 513 (A)

Polyacrylamide resin,
chromatography on, 191

Ponceau S,
for staining CSF protein, 416

Porphybiinogen deaminase,
in spinach leaves, 459

Porphyris and porphyrin precursors,
electrophoresis of, 331
use of chicken erythrocyte enzymes in preparation of, 459

Potassium,
determination of, in blood, 528 (A)
enhancing effect on atomic absorption of rubidium, 602
in body fluids, 781
serum, 528 (A)
serum, measurement with computer-assisted electrode system, 565
serum, measurement, 103
urinary, 528 (A)

Precision,
of enzyme tests, 882 (R)

Precursor incorporation, 633 (S)

Pregnancies,
high-risk, 97

Pregnancy, 235, 186
complications of, 824
serum of, testosterone in, 111

Pregnane-17,20-diols,
in urine, 274
oxidation of, in urine by sodium metaperiodate, 274

Prenatal diagnosis,
of metabolic disease, 891

Prenatal screening, 97

Primidone,
in serum, 107

Progesterone,
assay in nonpregnancy plasma, 856
in plasma,
changes in during menstrual cycle, 856
effect of oral contraceptive on, 856

Program,
22nd National Meeting, AACC, 447

Propionate metabolism,
after neutron-gamma irradiation or air blasts, 697 (S)

Protein,
binding, in progesterone assay, 856
concentrations in CSF, 562
determination, interference, 512
effect of, on serum lithium determinations, 840
-free filtrates, by membrane ultrafiltration, 280
in CSF, 416 (S)
in serum,
calculation of relative and absolute percentages, 760
effect of fractures on, 853
Lowry method for, 512
serum, reference standard for, 147
sputum, 773

Protoporphyrin,
preparation of labeled, 459

Pseudocholinesterase,
improved colorimetry of, 540 (A)
in plasma, and succinylcholine breakdown, 503

Pseudouridine,
excretion of, by mental retardates, 714 (S)
newborns and children, 702
in urine, 707 (S)

Psychosis,
manic-depressive, lithium therapy of, 139

Pteroylglutamic acid,
see Folic acid

Purine,
dietary restriction and urinary excretion of uv-absorbing compounds, 707 (S)

Q

Quality control, 532 (A), 533 (A), 1016, 1022, 1032
clinical lab tests, use of patient data in, 129
in automated analyses, 832
in clinical enzyme assay, 516 (A)

Quinalbarbitone,
interference by, in extraction of phenylbutazone from blood and plasma, 437

R

Radioassay,
of triiodothyronine in serum, 951

Radioimmunoassay,
of human growth hormone, 854
of growth hormone, double-antibody technique, 854

Radiolabeled compounds,
use in antenatal diagnosis of lipid storage disease, 811 (R)

Radiolabeled triiodothyronine,
in thyroid function test, 922

Radiiodide,
T3 uptake test, 951

Radioporphyrins, 459

Ranges,
normal, 809 (L)

Rats,
use in metabolic studies, 633 (S)

Reactone Red 2B,
use in amylase assay, 39

Red cell volumes,
changes at high altitude, 7
determined by carbon monoxide method, 7

Reference laboratory,
analytical service quality, 533 (A)

Renal disorders,
effect on enzyme turnover rate, 71

Renal tubular disease,
methylmalonic acid excretion in, 20

Research,
by clinical chemists in the U.S., 877 (R)

Resin,
anion and cation-exchange, use in separation of nucleic acid components, 667 (S)
pellicular, separation of nucleosides with, 667 (S)

Retinol,
use in assay of plasma vitamin A, 766

Rheumatoid arthritis,
changes in albumin composition during, 54

Rh-immunization, 754

Ribonucleotides,
separation of, 667 (S)

5-Ribosyluracil,
excretion of, by mental retardates, 714 (S)

Ringbom plot, 776

Ring-D α -ketols,
assay during pregnancy, 237

Rubidium,
in blood, 602
in body fluids, 602
normal values for, 602
enhancing effect of sodium and potassium on, 602
atomic absorption of, in plasma and serum, 602
standard and sample preparation in measurement of, in urine, 602

S

Saccharometric amylase,
procedure compared, 32, 39

Saccharogenic assay,
of α -amylase in serum, 911

Salicylic acid,
elimination of interference by, 539 (A)
in determination of acetylsalicylic acid, 539 (A)

Schizophrenia,
drug excretion in, 916

Screening applications,
of serum globulin estimation, 925

Screening, biochemical,
of sera,
abnormal test results, 164
age groups, 164
AutoAnalyzer, 161
"normal" ranges vs. AutoAnalyzer ranges, 164

Screening, health, 633 (S)

Second trimester and term comparison,
in amniotic fluid composition, 843

Semiquantification,
of sugar in urine, by TLC, 954

Sephadex G-10, see also Chromatography, gel
use in thin-layer chromatography, 740

Seromucoid estimation, 24

Serum,
albumin,
automated determination by dye-binding techniques, 537
binding of acetyl-salicylic and salicylic acids, 539 (A)
p-acetylaminohippurate assay, 537 (A)
alkaline phosphatase activity of, 431
amylase activity in, 32, 39, 390, 523 (A), 985
colorimetry of, by use of reactive-dye substrate, 523 (A)
antibody concentrations in, 558
barbiturates in, 540 (A), 587
bilirubin in, 809 (L)
conjugated and total bilirubin in, 462
bovine, linolenate in, 743
calcium in, 528 (A), 597, 816
as measured by AAS, 528 (A), 998
variation, in hyperparathyroidism, 792
interlaboratory variability, 597
ceruloplasmin in, 903
chloride, evaluation of, 124
cholesterol in, 18, 472
colorimetry of, 528 (A)
conjugated bilirubin in, 462
control, deterioration of, 743
copper in, 903
deproteinization of, 402
effect on electrophoretic pattern, of various temperatures and of freezing and thawing, 507
fatty acid composition of, 743
fluorescence of, 766
from infants, total and conjugated bilirubin in, 462
globulin, abnormal in, 24
globulin in direct photometry of, 537 (A)
glucose in, 519 (A)
glutathione, loss of, from, 466
glutethimide in, determination of, 587, 540 (A)
human growth hormone in, 845
iron in, estimation, 92
iron-binding capacity, estimation, 92
inulin assay in, 753
lactic dehydrogenase in, assay for, 523 (A)
as evidence of malignant disease, 527 (A)
leucine aminopeptidase activity in, 412
lipase, diagnosis of pancreatitis in, 264
lipoproteins in, 573
lithium in, as measured by AAS, 528 (A)
macroglobulins in, 740
magnesium in, 528 (A)
as measured by AAS, 528 (A)
malate dehydrogenase activity in, 579
normal range for, 579
multitest biochemical screening of, 161
nickel in, 477
normal values for, 161, see also Normal values
normal values for nickel in, 477
T4, normal values for, 186
organic acids in, 697 (S)
oxaloacetate, as product of malate dehydrogenase action, 579
pepsinogen determination, semiautomated method for, 207
phosphatase in, 776
phosphorus in, variation, 776, 792
potassium in, 528 (A), 251
measurement, 103
protein, computer calculation of electrophoretically separated proteins in, 760
fractions, x-ray spectrometry of, 157
labeling with indocyanine green, 1008
quality control, 18, 39
variation, 15
rubidium in, 602
saccharogenic assay of α -amylase activity in, 911
sodium in, 251
direct potentiometric determination of, 528 (A)
measurement, 103
transferrin in, 558
triglycerides, accuracy of analyses, 534 (A)
triiodothyronine in, 951
uptake test, 951
uric acid, 247
uv-absorbing constituents of, 687 (S)
zinc in, spectrophotometry of, 529 (A)

SGOT, 44, see also Serum glutamic-oxalacetic transaminase, 118
automated measurement at 340 nm, 530 (A)
assay of by SMA-12/60, 522 (A)
by Gilford 2000, 522 (A)

by LKB reaction-rate analyzer 522 (A)
a simplified TransAc system for assay of, 523 (A)

SGPT, 44, see also Serum glutamic-pyruvic transaminase, 118
automated measurement at 340 nm, 530 (A)

Silicic acid chromatography,
organic acids, 20

Silylated derivatives, 722 (S)

Sleep induction,
by creatinine, 717 (S)

SMA 12/60,
compared with AAS, 528 (A)
12/30, phasing aid, 65 (L)

Sodium,
enhancing effect on atomic absorption of rubidium, 602
hypobromite, reaction with 5,5-diphenylhydantoin, 539 (A)
retaining states, lithium therapy of, 139
in blood, 528 (A)
in body fluids, 781
in serum, 528 (A)
measurement, 103
computer-assisted electrode system, 566
in urine, 528 (A)

Sol-gel,
transformation, in Murayama test for S hemoglobin, 945

Soluble starch,
as substrate for amylase, 985

Somogyi method,
for amylase activity in urine, 390

Spectra,
fluorescence emission, 643 (S)

Spectrophotometer,
for use in automated analysis, 443

Spectrophotometry,
atomic absorption, automated, of calcium, 528 (A)
compared with an automated method for serum calcium, 816
lithium, 139, 840
magnesium, 528 (A)
nickel in urine and serum, 477
in determining severity of hemolytic disease, 756
infrared, of cholesterol primary standards, 423
leukocyte alkaline phosphatase activity, 798 (SN)
of bilirubin, 239, 536 (A)
in amniotic fluid, 756
in serum, 462
of creatinine kinase, 370
estrogens, 236
glucose oxidase, 519 (A)
MDH in serum, 579
phenylbutazone, 437
serum alkaline phosphatase, 523 (A)
uric acid, 247
zinc, 529 (A)
x-ray, of human serum protein fractions, 157

Spectroscopy,
atomic absorption, accuracy of, for serum calcium, 527 (A)
electron, of compounds of biological interest, 677 (S)
use in determining film thickness, 677 (S)

Sphingolipids,
and storage diseases, 811 (R)

Spinach leaf tissue,
use in porphobilinogen assay, 459

Spinal fluid, see Cerebrospinal fluid

Sputum,
nonprotein nitrogen in, 773
protein in, 773
variations among patients, 773

Standard chemicals,
characterization of, 527 (A)
practical analysis of, 527 (A)

Standardization,
in clinical enzyme assay, 516 (A)

Statistical analysis,
pattern appreciation in, 562
of data, 1922, 1057 (L)

Statistics,
extraction of a "normal" population by, 562

Steroid administration,
effect on enzyme turnover rate, 71

Steroids,
automated analysis for, 531 (A)
chromatographic mobilities on ChromAR-500, 111
multicolumn chromatography of, 651 (S)
total conjugated, 236

Stones,
urinary tract, 792

Strontium,
as internal reference for AAS of Ca, 998

Succinylcholine,
in surgical procedures, 503

Sugars,
in urine, 954

Sulfatase, 235

Sulfo-phospho-vanillin,
use in method for total lipids, 573

Sulfoxide,
reduction to sulfide

Sulfur,
polarographically active, by paper electrophoresis, 155
in fractions of plasma from diseased individuals, 155
in human serum fractions, 155

Survival times,
of sheep,
after neutron-gamma irradiation or air blast, 697 (S)

Symposia, 623-732, 513-518 (A)

T

T4, see Thyroxine, serum total, 185

Taylor series expansion,
use in peak distribution, 637 (S)

Toy-Sachs disease,
prenatal diagnosis, 811 (R)

Testosterone,
in plasma, estimation, 111
in urine, 531 (A)

Tiselius electrophoresis, see Electrophoresis, moving boundary

Tissue extracts,
2,8-dioxyadenine determination in, 861 (SN)

Tissues,
preparation for scintillation counting, 60

Thin-layer chromatography, 236

Thio-NAD phosphate,
use in enzymatic glucose procedure, 520 (A)

Threonine,
in serum albumin, sex differences in, 54

Thrombin, 486

Thymol turbidity test, 44

Thymolphthalein monophosphate,
use in determination of serum alkaline phosphatase, 431

"Thyopac-3", 951

Thyroid function test, 922

Thyroxine,
in serum, 185, 382, 922
dialyzable fraction, 185
interference by organic contrast media in determination of, 382
resin sponge uptake method for assay of, 922
screening for interference, 1057 (L)
values for normal and thyroid disease, 922

Thyrotoxicosis, 186

α -Toluidine,
improved reagent for glucose, 230
in determination of blood glucose, 282, 851
method for glucose, effect of dextran, 618 (L)
modified reagent, in glucose determination, 520 (A)

Total lipids,
sulfo-phospho-vanillin as reagent with, 573

Total nitrogen,
as unit of reference, 223

- Total protein**, as unit of reference, 223
- Toxicity**, of drugs, 514 (A)
- TPTZ reagent**, see 2,4,6-Tripyridyl-s-thiazine
- Transaminase**, glutamic-pyruvic, serum activity during high-fat diet, 118
- Transferrin**, in serum, computerized automation of assay, 558
range, in hospital patients, 558
- Triethanolamine**, used in uric acid analysis, 247, 536 (A)
- Triglycerides**, assay by Carlson method, 743
fecal, determination of, by electrical capacitance, 408
by petroleum ether extraction, 408
in control sera, 743
in plasma, automated fluorometric determination of, 166
determination with Auto-Analyzer effect of high-fat diet, 118
- ¹²⁵I-Triiodothyronine**, 382
in assay of free thyroxine in serum, 922
stability of, 190
- "Triiodothyroxine,"** in serum improved test for, 526 (A)
- "Trilute,"** 922
- Trimethylsilylated carbohydrate derivatives**, gas chromatography of, 722 (S)
- Trinitrobenzene sulfonic acid**, use in measuring proteins, 24
- Trinitrophenyl protein-sulfite complexes**, spectral characteristics, 24
- 2,4,6-Tripyridyl-s-triazine reagent for Fe²⁺**, excretion of by mental retardates, 714 (S)
- Trypsin**, fluorometry of, compared with use of Bratton-Marshall reaction, 322
- U**
- Ultracentrifugation**, analytical, of macroglobulins, compared with thin-layer gel-filtration, 740
- Ultrafiltration**, membrane, protein-free filtrates by, 280
of lipoproteins, 573
- Urea**, estimated by carbamidodiacyl assay, 3
nitrogen, evaluation of, 124
ultrafilterable in serum, 280
- Urea-insulin complexes**, 291
- Uric acid**, automated determination of, 536 (A)
automated procedure for, 531 (A)
cyanide-urea method for, 247
determination with uricase, 247
in amniotic fluid, 843
urine, 707 (S)
serum,
isolation of, 191
measurement of, 191
ultrafilterable, in serum, 280
- Uridine**, excretion of, by newborns and children, 702 (S)
- Urinary calculi**, oxalate content, 547 (R)
- Urine**, 5-acetylaminio-6-amino-3-methyluracil in
adenine in, 707
alcohol in, 402
aliphatic α -keto acids in, 536 (A)
amines in, 195
 δ -aminolevulinic acid in, 331
determination in, effect of storage temperature, 612 (SN)
amphetamines in, 786
amylase activity in, 390, 985
aromatic compounds in, 681 (S)
automated colorimetry of 17,21-dihydroxy-20-ketosteroids in, 531 (A)
barbiturates in, 797 (SN)
bromide in, colorimetry of, 528 (A)
calcium in, 528 (A)
as measured by AAS, 528 (A)
carbohydrates in, 722, 954
carbohydrate constituents in, 687 (S)
catecholamines in, 532 (A)
creatinine in, 536, 714 (A)
cystine in, 366
dehydroepiandrosterone sulfate in, 532 (A)
direct potentiometric determination of potassium in, 528 (A)
detection of drugs and drug metabolites in, 931
2,8-dioxadenine in, 861 (SN)
L-dopa and its metabolites in, 535 (A)
epitestosterone in, 531 (A)
ergothioneine in, 702
estriol in, during pregnancy, 532 (A)
- estrogens in, 236
total, 824, 439
excretion of chlorpromazine metabolites (conjugated and unconjugated) in, 916
folic acid in, 375
gas chromatography of carbohydrates in, 722 (S)
glucose in, 519 (A)
by oxygen rate method, 519 (A)
hallucinogen in, 786
hippuric acid in, 420, 702
histidine metabolites in, 58
homocystine in, 366
hydroxyproline in, 853
after fractures, 853
17-hydroxysteroids in, 274
hypoxanthine in, 702, 707
imidazoles in, 58
indoles in, 681 (S)
isovalerylglycine in, 420
L. casei assayable folic acid activity in, 375
 δ -levulinic acid in, preservation of, 612 (SN)
liquid chromatography of, 667 (S)
lithium in, as measured by AAS, 528 (A)
magnesium in, 528 (A)
as measured by AAS, 528 (A)
p-methoxyamphetamine in, 786
minerals in, 681 (S)
monkey, 2,8-dioxadenine in, 861 (SN)
nickel in, 477
normal values for, 477
nitrofurantoin in, detn. with nitromethane-Hyamane, 335
organic acids in, 212
origin of uv-absorbing compounds in, 207
otic acid in, 707
orotidine in, 707
oxalate in, 547 (R)
Ped. cerevisiae assay of folic acid in, 375
phenolic acids in, 681 (S)
phenolic amines in, 681 (S)
phosphate in, 776
potassium in, 251
porphobilinogen in, 331
pregnancy, total estrogen, simplified estimation, 97
pregnane-17,20-diols in, 274
pseudouridine in, 702
rubidium in, 602
S. fecalis assayable folic acid activity in, 375
sodium in, 251
- potentiometric determination of, 528 (A)
stable, native control, 618 (L)
sugars in, 954
tartaric acid as preservative of, 612 (SN)
testosterone in, 531 (A)
thin-layer chromatography, 526 (A)
of drugs 931
uv-absorbing components in, 201, 207, 681(S), 687 (S), 714 (S), 207, 681 (S), 201, 687 (S)
of normal newborns and young children, 702 (S)
uric acid in, 536 (A), 707
uridine in, 702
xanthine in, 707
xylose in, 749
- Uroporphyrin**, preparation of labeled, 459
- UV-Analyzer**, 201
- UV detector**, for use in column chromatography, 667 (S)
- UV method**, for proteins, 24
- V**
- Valium**, see Diazepam, 177
- Van Slyke apparatus**, CO in blood measurement, 7
- Vapor-phase chromatography**, 135
- Vitamin A**, plasma of preschool children, 766
tritium-labeled, assay in plasma
- W**
- "Waldenström" porphyrins**, 333
- Wet weight**, as basis of data expression, 222
- Wilson's disease**, and serum ceruloplasmin, 903
- X**
- Xanthine**, 192
- Xylose**, absorption and patient's age, 749
excretion after load, 749
in serum, 85
use in pediatric absorption test, 749
- Z**
- Zeta-chain**, of hemoglobin, 524 (A)

